INDEX TO VOLUME 86

*Author index**

A

ABALLI AJ. (*See* CARAMIHAI ET AL) (BCLO), 252
ABITBOL CL, FELDMAN DB, AHMANN P, AND RUDMAN D. Plasma anino acid patterns during supplemental intravenous nutrition of low-birth-weight infants, 766
ACKERMAN BD. Significance of the paired and unpaired t test in evaluating CPAP (Reply), 481
ADAMS C. (*See* DANKS ET AL), 382
ADAMS FH. (*See* SPENCER ET AL) (Letter), 811
ADLER R. Cellulitis: An expected presentation with an unexpected etiology (Letter), 477
ADLER RC. Love and the overindulgence syndrome (Letter), 313
ADLER SM, AND DENTON RL. The erythrocyte sedimentation rate in the newborn period, 942
AHMAD MS. (*See* RHEA ET AL), 451
AHMANN F. (*See* ABITBOL ET AL), 766
ALAGILLE D, ODIÈVRE M, GAUTIER M, AND DOMMERGUES JP. Hepatic ductular hypoplasia associated with characteristic facies, vertebral malformations, retarded physical, mental, and sexual development, and cardiac murmur, 63
ALBRIZIO M. (*See* DAMMACCO ET AL) (Letter), 647
ALLEN RP. (*See* SAFER ET AL), 113
ALTAY C. (*See* BINGÖL ET AL) (BCLO), 902
ALTMAN AJ, AND BAEHNER RL. In vitro colony-forming characteristics of chronic granulocytic leukemia in childhood, 221
ALTSHULER T. (*See* KEENAN AND ALTSHULER), 466
AMENT ME. Inflammatory disease of the colon: Ulcerative colitis and Crohn's colitis, 322
AMMANN A. (*See* MEUWISSEN ET AL), 169
AMMANN AJ. (*See* WARA ET AL) (BCLO), 743
ANAGNOSTAKIS D. Feeding and plasma NEFA levels in newborn infants (Letter), 991
—, KAMBA A, PETROCHILOU V, ARSENI A, AND MATSANIOTIS N. Risk of infection associated with umbilical vein catheterization, 759
ANAND SK, NORTHWAY JD, AND GRESHAM EL. Peritoneal dialysis catheter for small infants (Letter), 985
ANDERSON DC, GREENWOOD R, FISHMAN M, AND KAGAN IG. Acute infantile hemiplegia with cerebrospinal fluid eosinophilic pleocytosis: An unusual case of visceral larva migrans (BCLO), 247
ANDERSON R. (*See* MACDOUGALL ET AL), 833
ANDERSON RC. (*See* NEAL ET AL), 189
ANDO T. (*See* WADLINGTON ET AL), 707
ARCHIBALD RWR. (*See* ASARIAN ET AL), 844
ARENSON EB JR, AND AUGUST CS. Preliminary report: Treatment of the hemolytic-uremic syndrome with aspirin and dipyridamole, 957
ARMENDARES S, AND LISKER R. Twinning and cleft lip with or without cleft palate (Letter), 479
ARMSTROND D. (*See* WOLLMAN ET AL), 376
ARONSON S, GARWICZ S, AND SÖRNÄS R. Cytologic analysis of cerebrospinal fluid (Reply), 990
ASARIAN J, ARCHIBALD RWR, AND LIEBERMAN J. Childhood cirrhosis associated with alpha-l-antitrypsin deficiency, 844
ARSENI A. (*See* ANAGNOSTAKIS ET AL), 759
ASPNES GT. (*See* PEARSON ET AL) (BCLO), 917
ATHREYA BH, AND OSKI FA. Neuropathy with lead poisoning and sickle cell anemia (Letter), 315
AUGUST CS. (*See* ARENSON AND AUGUST), 957
AURICCHIO S. (*See* DE VIZIA ET AL), 50
AUTIO S. Clinical features of mannosidosis (Letter), 314
AVERY GB (*See* CHAR ET AL) (Letter), 638
AVRUSKIN TW, TANG S-C, AND JUAN CS. The glucagon infusion test and growth hormone secretion (BCLO), 102
AZEN S. (*See* EBERLE ET AL), 356

B

BAEHNER RL. (*See* ALTMAN AND BAEHNER), 221
BAER H. (*See* KNITTLE ET AL), 433
BAIG MM, CETORELLI JJ, AND ROBERTS RM. Plasma membrane components of skin fibroblasts from normal individuals and patients with cystic fibrosis, 72
BAIN K. An emergency for children in developing countries (Editor's column), 996
BANNISTER DL, AND ENGEL E. A G-like trisomy with a major 15 proximal supernumerary component derived from a D/E balanced maternal interchange (BCLO), 916
BARD H. (*See* ROY ET AL), 446
BARR E. (*See* SAFER ET AL), 113
BARTELS H, HAUCK W, AND VOGEL I. Aminopyrine—an effective modifier of liver and serum gamma glutamyl transpeptidase, 298
BARTTER FC. (*See* MILLER ET AL) (BCLO), 233
BASS JW. On the significance of statistical significance (Reply), 157
BATT MD. (*See* NELSON ET AL), 335
BAYLEN BG, MEYER RA, KAPLAN S, RINGENBURG WE, AND KORFHAGEN J. The critically ill premature infant with patent ductus arteriosus and pulmonary disease—an echocardiographic assessment, 423
BEAL PJ. (*See* LOVRIC ET AL), 194

*January, pp 1-168; February, pp 169-320; March, pp 321-484; April, pp 485-656; May, pp 657-824; June, pp 825-1000.

BEAUDET AL, DIFERRANTE NM, FERRY GD, NICHOLS BL JR, AND MULLINS CE. Variation in the phenotypic expression of β-glucuronidase deficiency, 388
BECK GJ, AND VAN DEN BERG BJ. The relationship of the rate of intrauterine growth of low-birth-weight infants to later growth, 504
BEHRMAN RE. Umbilical-arterial catheterization in high-risk infants (Editorial reply), 643
BEITINS IZ, KOWARSKI A, MIGEON CJ, AND GRAHAM GG. Adrenal function in normal infants and in marasmus and kwashiorkor, 302
BELENKY DA. Significance of the paired and unpaired t test in evaluating CPAP (Letter), 481
BELGAUMKAR TK. Impetigo neonatorum congenita due to group B beta-hemolytic streptococcus infection (Letter), 982
BELLANTI JA. (*See* HURTADO ET AL) (BCLO), 405
—. (*See* ROLA-PLESZCZYNSKI ET AL), 690
—. (*See* ROLA-PLESZCZYNSKI ET AL) (Letter), 818
BELMAN AB. (*See* LEWY AND BELMAN), 851
BENNETT DL. (*See* DANIEL ET AL), 288
BENSON R. (*See* PETTIFOR AND BENSON), 459
BERBERICH FR. Treatment of hemolytic-uremic syndrome (Letter), 158
BEREND K. (*See* GACS ET AL) (Letter), 990
BERMAN P, DESJARDINS C, AND FRASER FC. The inheritance of the Aarskog facial-digital-genital syndrome, 885
BERNSTEIN B. (*See* TAKAHASHI ET AL) (Reply), 646
BESSINGER RB JR. (*See* NEAL ET AL), 127
BIGGAR D. (*See* MEUWISSEN ET AL), 169
BILEK MK. (*See* FISCH ET AL), 497
BINGÖL A, ALTAY C, SAY B, AND DONMEZ S. Plasma, erythrocyte, and leukocyte ascorbic acid concentrations in children with iron deficiency anemia (BCLO), 902
BIRK J. (*See* HOMOKI ET AL), 753
BLAESE RM. (*See* NELSON ET AL), 548
BLANKENSHIP WJ, GOETZMAN BW, GROSS S, AND HATTERSLEY PG. A walking donor program for an intensive care nursery, 583
BLONDHEIM, SH. (*See* KAPITULNIK ET AL), 442
BOMBACH E. (*See* KHAN ET AL) (Letter), 309
BOOTH CW, CHEN KK, AND NADLER HL. Cerebroside sulfatase activity in cultivated human skin fibroblasts and amniotic fluid cells, 560
BOVE KE. (*See* DIMMICK ET AL) (Letter), 614
—. (*See* STRAUSS ET AL) (BCLO), 910
BOYER KM, PETERSEN NJ, FARZANEH I, PATTISON CP, HART MC, AND MAYNARD JE. An outbreak of gastroenteritis due to *E. coli 0142* in a neonatal nursery, 919
BRASEL JA. (*See* VELASCO AND BRASEL), 274
BRAUM FHT, JONES KL, AND SMITH DW. Breech presentation as an indicator of fetal abnormality (BCLO), 419
BREESE TJ, AND SOLOMON IL. Granulocytopenia and hemolytic anemia as complications of propylthiouracil therapy, 117
BREM J. (*See* PURTILO ET AL) (BCLO), 569
BRENNAN LP. (*See* MALEKZADEH ET AL), 370
BRINK J. (*See* EBERLE ET AL), 356
BROWN D. (*See* TSANG ET AL), 399
BROWN DR. (*See* TSANG ET AL), 936
BROWN RS, COLLE E, AND TASHJIAN AH JR. The syndrome of multiple mucosal neuromas and medullary thyroid carcinoma in childhood, 77
BRUCE RM. (*See* NELSON ET AL), 548
BRUNELL P. Antiviral drugs for the neonate—the risk-benefit ledger (Editor's column), 317
—. (*See* MEUWISSEN ET AL), 169
BUCHANAN GR. Acute hemolytic anemia as a presenting manifestation of Wilson disease (BCLO), 245
BUCHANAN N, KUNDIG H, AND EYBERG C. Experimental salicylate intoxication in young baboons, 225
BUCKLEY R. (*See* MEUWISSEN ET AL), 169
BUCKLEY RH. Iron deficiency anemia: Its relationship to infection susceptibility and host defense (Editor's column), 993
BURRY VF. (*See* RHODES ET AL), 593
BUTLER IJ. (*See* SAULSBURY ET AL), 868
BYATT PH. (*See* SPENCER ET AL) (Letter), 811

C

CAHILL C. (*See* WETTENHALL ET AL), 602
CAMITTA BM. (*See* LEVINE ET AL), 145
CAMPBELL P. (*See* DANKS ET AL), 382
CANTOR HE. (*See* RODEN ET AL), 56
CANTÚ JM. Keratosis follicularis as a confusing term (Reply), 480
CARAMIHAI E, KARAYALCIN G, ABALLI AJ, AND LANZKOWSKY P. Leukocyte count differences in healthy white and black children 1 to 5 years of age (BCLO), 252
CARNEVALE F. (*See* DAMMACCO ET AL) (Letter), 647
CARPENTER MA. (*See* CROSBY ET AL) (Letter), 986
CASSEL C. (*See* PURTILO ET AL) (BCLO), 569
CASTELLS S. Growth hormone deficiency and dwarfism in mentally retarded children (Reply), 156
CASTEELS-VAN DAELE M, IGODT-AMEYE L, CORBEEL L, AND EECKELS R. Hepatotoxicity of rifampicin and isoniazid in children (BCLO), 739
CASTLEBERRY RP, MORENO H, AND WALLACE LS. Cytologic analysis of cerebrospinal fluid (Letter), 989
CECCACI L. (*See* PURTILO ET AL) (BCLO), 569
CETORELLI JJ. (*See* BAIG ET AL), 72
CHAMBERS TL. Umbilical-arterial catheterization in high-risk infants (Letter), 642
CHANDRA R. (*See* CHAR ET AL) (Letter), 638
CHANDRA RK, AND SARAYA AK. Impaired immunocompetence associated with iron deficiency (BCLO), 899
CHANG KC, ZAKHEIM RM, CHO CT, AND MONTGOMERY JC. Posttraumatic purulent meningitis due to *Bordetella bronchiseptica* (Letter), 639
CHAR VC, CHANDRA R, FLETCHER AB, AND AVERY GB. Polyhydramnios and neonatal renal failure—a possible association with maternal acetaminophen ingestion (Letter), 638
CHARTRAND L. (*See* ROY ET AL), 446
CHEN GC. (*See* MATALON ET AL) (Reply), 314
CHEN I-W. (*See* TSANG ET AL), 399
CHEN KK. (*See* BOOTH ET AL), 560
CHEN S, AND FAGAN LF. Coincidence of Wolff-Parkinson-White and Marfan syndromes (Reply), 482
CHEN TK, CLAWSON CC, YUNIS EJ, AND KERSEY JH. Thymic aplasia with possible graft-versus-host disease (BCLO), 904
CHERRY JD. (*See* RODEN ET AL), 56
—. (*See* SPENCER ET AL) (Letter), 811

CHESNEY RW, AND HARRISON HE. Fanconi syndrome following bowel surgery and hepatitis reversed by 25-hydroxycholecalciferol, 857
CHI TL, AND KROVETZ LJ. The pulmonary vascular bed in children with Down syndrome, 533
CHIEMMONGKOLTIP P. (*See* SULAYMAN ET AL), 59
CHO CT. (*See* CHANG ET AL) (Letter), 639
—. (*See* KHOO ET AL) (Letter), 812
CHUTORIAN AM. (*See* CRUMRINE ET AL), 779
—. (*See* ROTHNER ET AL) (BCLO), 748
CICCIMARRA F. (*See* DE VIZIA ET AL), 50
CLARKE WL, AND WELDON VV. Growth hormone deficiency and Fanconi anemia (Letter), 814
CLARKE WR. (*See* LAUER ET AL), 697
CLAWSON CC. (*See* CHEN ET AL) (BCLO), 904
COHEN F. (*See* MEUWISSEN ET AL), 169
COHEN MI. Editorial comment: The reference standard (Editor's column), 167
—. (*See* LITT AND COHEN), 293
—. (*See* NATHENSON ET AL), 799
COLLE E. (*See* BROWN ET AL), 77
COLLIER E. (*See* MENTZER AND COLLIER) (BCLO), 565
COMAS AP, AND GONZÁLEZ AL. Congenital heart disease in Goldenhar syndrome (Letter), 989
CONMEZ S. (*See* BINGÖL ET AL) (BCLO), 902
CONNOR WE. (*See* LAUER ET AL), 697
CONNORS JP. (*See* KEATING ET AL) (BCLO), 111
CORBEEL L. (*See* CASTEELS-VAN DAELE ET AL) (BCLO), 739
CORMODE EJ, LYSTER DM, AND ISRAELS S. Analbuminemia in a neonate, 862
CORNBLATH M. (*See* MACLAREN ET AL), 43
COULOMBE P. (*See* DUSSAULT ET AL), 670
COURT JM, AND DUNLOP M. Plasma lipid values and lipoprotein patterns during adolescence in boys, 453
COWETT RM. (*See* DOBSON ET AL), 555
COWLES C. (*See* MACLAREN ET AL), 43
COX R. (*See* RHODES ET AL), 593
CROSBY IK, TOMPKINS DG, AND CARPENTER MA. Pulmonary arteriovenous fistula and patent ductus arteriosus in the newborn infant (Letter), 986
CROSS HE. (*See* STEVENS ET AL) (BCLO), 907
CROSS V. (*See* MEUWISSEN ET AL), 169
CROSSON FJ JR. Warning about using cephalothin with central nervous system infections (Letter), 316
CRUDUP C. (*See* MOSS ET AL), 295
CRUMRINE PK, KOENIGSBERGER MR, AND CHUTORIAN AM. Footdrop in the neonate with neurologic and electrophysiologic data, 779
CUKIER JO. (*See* ODELL ET AL), 614
CURRAN WJ. (*See* LEVINE ET AL), 145

D

DAENTL DL, SMITH DW, SCOTT CI, HALL BD, AND GOODING CA. Femoral hypoplasia—unusual facies syndrome (BCLO), 107
DAILY WJR. (*See* SERLIN AND DAILY), 596
DAMMACCO F, CARNEVALE F, AND ALBRIZIO M. Nesidioblastosis in Beckwith syndrome (Letter), 647
DANIEL WA JR, GAINES EG, AND BENNETT DL. Iron intake and transferrin saturation in adolescents, 288
DANIELS O. (*See* SENGERS ET AL), 873
DANKS DM, TIPPETT P, ADAMS C, AND CAMPBELL P. Cerebro-hepato-renal syndrome of Zellweger, 382
DAVIS LE. (*See* SAULSBURY ET AL), 868
DAVIS SD. (*See* LOPEZ ET AL), 207
DAWSON G. (*See* MATALON ET AL) (Reply), 314
DE CICCO N. (*See* DE VIZIA ET AL), 50
DE CLERCQ E, EDY VG, DE VLIEGER H, EECKELS R, AND DESMYTER J. Intrathecal administration of interferon in neonatal herpes (BCLO), 736
DE KONING J. (*See* MEUWISSEN ET AL), 169
DENTON RL. (*See* ADLER AND DENTON), 942
DESJARDINS C. (*See* BERMAN ET AL), 885
DESMYTER J. (*See* DE CLERCQ ET AL) (BCLO), 736
DEVIVO DC. Febrile convulsions—a reappraisal (B rev), 472
DE VIZIA B, CICCIMARRA F, DE CICCO, N, AND AURICCHIO S. Digestibility of starches in infants and children, 50
DE VLIEGER H. (*See* DE CLERCQ ET AL) (BCLO), 736
DI FERRANTE N. (*See* SINGH ET AL) (BCLO), 574
DIFERRANTE NM. (*See* BEAUDET ET AL), 388
DI LIBERTI J, O'BRIEN ML, AND TURNER T. The use of physostigmine as an antidote in accidental diazepam intoxication (BCLO), 106
DIMMICK JE, BOVE KE, AND MCADAMS AJ. Extrahepatic biliary atresia and the polysplenia syndrome (Letter), 644
DISSING J. (*See* MEUWISSEN ET AL), 169
DOBSON V, COWETT RM, AND RIGGS LA. Long-term effect of phototherapy on visual function, 555
DOBYNS BM. (*See* RALLISON ET AL), 675
DODSON WE, HILLMAN RE, AND HILLMAN LS. Brain tissue levels in a fatal case of neonatal mepivacaine (Carbocaine) poisoning, 624
DOMMERGUES JP. (*See* ALAGILLE ET AL), 63
DOOLEY RR. (*See* MOSS ET AL), 295
DORAY B. (*See* ROY ET AL), 446
DOUGLAS RG JR. (*See* JOHN AND DOUGLAS) (BCLO), 235
DOYLE NE. (*See* WARA ET AL) (BCLO), 743
D'SOUZA BJ. (*See* SAULSBURY ET AL), 868
DUCKETT J. (*See* KINNEY ET AL) (BCLO), 241
DUDDING BA. (*See* KHOO ET AL) (Letter), 812
DUNLOP M. (*See* COURT AND DUNLOP), 453
DUPONT CL. (*See* ONG AND DUPONT) (BCLO), 238
DUSSAULT JH, COULOMBE P, LABERGE C, LETARTE J, GUYDA H, AND KOURY K. Preliminary report on mass screening program for neonatal hypothyroidism 670

E

EBBESEN F. (*See* MOLLER AND EBBESEN), 135
EBERLE E, BRINK J, AZEN S, AND WHITE D. Early predictors of incomplete recovery in children with Gulliain-Barré polyneuritis, 356
EDY VG. (*See* DE CLERCQ ET AL) (BCLO), 736
EECKELS R. (*See* CASTEELS-VAN DAELE ET AL) (BCLO), 739
—. (*See* DE CLERCQ ET AL) (BCLO), 736
EHRLICH RM. (*See* FERLAND AND EHRLICH) (BCLO), 741
EICHENWALD HF. (*See* MCCRACKEN AND EICHENWALD) (Reply), 316
EISENBERG R. (*See* NATHENSON ET AL) (Letter), 152
EITZMAN DV. (*See* KNITTLE ET AL), 433
EKERT H. Treatment of hemolytic-uremic syndrome (Reply), 158

ELSAS LJ. (*See* GRIFFIN AND ELSAS), 512
EMANS SJ. Umbilical-arterial catheterization in high-risk infants (Letter), 641
EMERSON BB, SMITH AL, HARDING AL, AND SMITH DH. *Hemophilus influenzae* type B susceptibility to 17 antibiotics, 617
EMMANOUILIDES GC. (*See* THIBEAULT ET AL), 120
ENGEL E. (*See* BANNISTER AND ENGEL) (BCLO), 916
ENGEL RR. (*See* FISCH ET AL), 497
—. (*See* FRANTZ ET AL), 259
ESTERLY JR. (*See* OPPENHEIMER AND ESTERLY), 683
ESTERLY NB. Keratosis follicularis as a confusing term (Letter), 479
EVANS AE. Comment on the LaBrosse VMA spot test (BCLO), 240
EVANS HE. (*See* KHAN ET AL) (Letter), 309
EWING CW. (*See* SOTELO-AVILA ET AL) (Reply), 161
EYBERG C. (*See* BUCHANAN ET AL), 225

F

FAEHNLE ST. (*See* HUGHES ET AL) (BCLO), 95
FAGAN LF. (*See* CHEN AND FAGAN) (Reply), 482
FANAROFF AA. (*See* KATWINKEL ET AL), 588
FARRIAUX JP, PIERAERT C, AND FONTAINE G. Survival of infant with argininosuccinic aciduria to 3 months of age (Letter), 639
—. (*See* PIERAERT ET AL) (Letter), 988
FARZANEH I. (*See* BOYER ET AL), 919
FAZEKAS ATA. (*See* HOMOKI ET AL), 753
FELDMAN DB. (*See* ABITBOL ET AL), 766
FELDMAN KW, AND SMITH DW. Fetal phallic growth and penile standards for newborn male infants, 395
FENTON L. (*See* TSANG ET AL), 399
FERLAND L, AND EHRLICH RM. Single-peak insulin in the treatment of insulin-induced fat atrophy (BCLO), 741
FERMAGLICH DR. Goiter and ichthyosis (Letter), 637
—. Pulmonary involvement in infectious mononucleosis (BCLO), 93
FERRY GD. (*See* BEAUDET ET AL), 388
FIFE D, AND RAPPAPORT E. On the significance of statistical significance (Letter), 156
FINBERG L. (*See* LITMAN ET AL) (BCLO), 410
—. MALEKZADEH MH, AND WRIGHT HT JR. Hepatitis B in a pediatric hemodialysis unit, 349
FINE RN. (*See* MALEKZADEH ET AL), 370
FINEGOLD MJ. (*See* RAGER AND FINEGOLD), 264
FINKELSTEIN S. (*See* MOSS ET AL), 295
FISCH RO, BILEK MK, MILLER LD, AND ENGEL RR. Physical and mental status at 4 years of age of survivors of the respiratory distress syndrome, 497
FISHER DA. Neonatal detection of hypothyroidism (Editor's column), 822
FISHMAN M. (*See* ANDERSON ET AL) (BCLO), 247
FITZPATRICK AJ. (*See* PURTILO ETAL) (BCLO), 569
FLETCHER AB. (*See* CHAR ET AL) (Letter), 638
FONTAINE G. (*See* FARRIAUX ET AL) (Letter), 639
—. (*See* PIERAERT ET AL) (Letter), 988
FOSSON AR, AND WHEELER WE. Short-term amphotericin B treatment of severe childhood histoplasmosis, 32
FOX V. (*See* HANKA AND FOX) (Letter), 312
FRANTZ ID III, L'HEUREUX P, ENGEL RR, AND HUNT CE. Necrotizing enterocolitis, 259
—. WANG NS, AND THACH BT. Experimental meconium aspiration: Effects of glucocorticoid treatment, 438
FRASER FC. (*See* BERMAN ET AL), 885
FRASIER SD. Growth hormone deficiency and dwarfism in mentally retarded children (Letter), 155
—. THORNEYCROFT IH, WEISS BA, AND HORTON R. Elevated aminotic fluid concentration of 17 α-hydroxyprogesterone in congenital adrenal hyperplasia (Letter), 310
FRENKEL LD. (*See* ROLA-PLESZCZYNSKI ET AL) (Letter), 818
FRIEDMAN MA. (*See* TSANG ET AL), 399
FULTON RE, AND MIDDLETON, PJ. Immunofluorescence in diagnosis of measles infections in children, 17

G

GABREËLS F. (*See* MONNENS ET AL) (Letter), 983
GACS G, KUN E, AND BEREND K. Blood glucose and free fatty acids in hypoxemia (Letter), 990
GAINES EG. (*See* DANIEL ET AL), 288
GARCIA-FUENTES M. (*See* RODRIGUEZ-SORIANO ET AL), 524
GARTNER LM. (*See* LEE ET AL), 280
GARWICZ S. (*See* ARONSON ET AL) (Reply), 990
GAUTIER M. (*See* ALAGILLE ET AL), 63
GELLER G, KRIVIT W, ZALUSKY R, AND ZANJANI ED. Lack of erythropoietic inhibitory effect of serum from patients with congenital pure red cell aplasia, 198
GERACI TK. (*See* MISER ET AL) (BCLO), 567
GERSONY WM. (*See* GLADSTONE ET AL), 962
GEWURZ H. (*See* WARA ET AL) (BCLO), 743
GIANGIACOMO J, PENCHANSKY L, MONTELEONE PL, AND THOMPSON J. Bilateral neonatal Wilms' tumor with B-C chromosomal translocation (BCLO), 98
GIBLETT E. (*See* MEUWISSEN ET AL), 169
GIGGER M. (*See* TSANG ET AL), 399
—. (*See* TSANG ET AL), 936
GIRDANY BR, AND PRICE SE JR. Vesicoureteral reflux and renal scarring (Editor's column), 998
GIRI N. (*See* SULAYMAN ET AL), 59
GLADSTONE GR, HORDOF A, AND GERSONY WM. Propranolol administration during pregnancy: Effects on the fetus, 962
GOETZMAN BW. (*See* BLANKENSHIP ET AL), 583
GONÁLEZ AL. (*See* COMAS AND GONZÁLEZ) (Letter), 989
GOLDRING D. (*See* HERNANDEZ ET AL), 182
GOODING CA. (*See* DAENTL ET AL) (BCLO), 107
GOULD EB. (*See* RANDOLPH ET AL), 342
—, AND PLACKO RP. Free catecholamine excretion in the urine in normal infants and in those with marasmus or kwashiorkor, 965
GRAHAM GG. (*See* BEITINS ET AL), 302
GRAVITT F. (*See* NELSON ET AL), 335
GREENWOOD R. (*See* ANDERSON ET AL) (BCLO), 247
GREENWOOD RD, ROSENTHAL A, AND NADAS AS. Cardiovascular malformations associated with imperforate anus (BCLO), 576
GRESHAM EL. (*See* ANAND ET AL) (Letter), 985

GRIFFIN RF, AND ELSAS LJ. Classic phenylketonuria: Diagnosis through heterozygote detection, 512
GRISCELLI C. (*See* MEUWISSEN ET AL), 169
GROSS S. (*See* BLANKENSHIP ET AL), 583
GROVER WD, AND SCRUTTON MC. Copper infusion therapy in trichopoliodystrophy, 216
GUILIOTIS DK. (*See* PEARSON ET AL) (BCLO), 917
GUTCHER GR. (*See* SAULSBURY ET AL), 868
GUYDA H. (*See* DUSSAULT ET AL), 670
GWINN JL. (*See* LEE AND GWINN), 598

H

HADDAD JG. (*See* HILLMAN AND HADDAD), 928
HAGHBIN M. (*See* WOLLMAN ET AL), 376
HAGLER DJ. Echographic interpretation of pericardial effusion (Letter), 645
HAKE DA. (*See* STRAUSS AND HAKE) (Reply), 819
HALL BD. (*See* DAENTL ET AL) (BCLO), 107
—. (*See* JONES ET AL), 84
HALL, JE. (*See* POITRAS ET AL) (Letter), 476
HALL RT. (*See* RHODES ET AL), 593
HAMLY C-A. (*See* SHERMAN ET AL), 518
HANKA SS, AND FOX V. Dextrocardia associated with Poland's syndrome (Letter), 312
HANSEN JDL. On the pathogenesis of deranged nitrogen metabolism in protein-calorie malnutrition (Letter), 649
HANSON JW, AND SMITH DW. The origin of the hypothalamus (Letter), 652
HANSON V. (*See* TAKAHASHI ET AL) (Reply), 646
HARDING AL. (*See* EMERSON ET AL), 617
HARRIS MB. (*See* KINNEY ET AL) (BCLO), 241
HARRIS RJ. Blood glucose and free fatty acids in hypoxemia (Reply), 991
—. Feeding and plasma NEFA levels in newborn infants (Reply), 992
HARRISON HE. (*See* CHESNEY AND HARRISON), 857
HART BA. (*See* SULTZ ET AL) (Editor's column), 654
HART MC. (*See* BOYER ET AL), 919
HARVEY MAS. (*See* JONES ET AL), 84
HASLAM RH. Neonatal purpura secondary to maternal salicylism (Letter), 653
HATTERSLEY PG. (*See* BLANKENSHIP ET AL), 583
HAUCK W. (*See* BARTELS ET AL), 298
HAYS T. (*See* HUTTER ET AL) (Letter), 820
HAYWOOD AE. Age at menarche, United States: Vital and Health Statistics, Series 11, No. 133 (B rev), 472
—. Examination and health history findings among children and youths, 6-17 years, United States: Vital and Health Statistics, Series 11, No. 129 (B rev), 473
HEIRD WC, AND WINTERS RW. Total parenteral nutrition, 2
HENSEN SA. (*See* HURTADO ET AL) (BCLO), 405
—. (*See* ROLA-PLESZCZYNSKI ET AL), 690
HERNANDEZ A, STRAUSS A, KLEIGER RE, AND GOLDRING D. Idiopathic paroxysmal ventricular tachycardia in infants and children, 182
L'HEUREUX P. (*See* FRANTZ ET AL), 259
HILLMAN LS, AND HADDAD JG. Perinatal vitamin D metabolism, 928
—. (*See* DODSON ET AL), 624
HILLMAN RE. (*See* DODSON ET AL), 624
HIRSCHHORN R. (*See* MEUWISSEN ET AL), 169
HOCHMAN H. (*See* SADEGHI-NEJAD ET AL), 37
HOLLISTER DW, AND RIMOIN DL. The Winchester syndrome and mucopolysaccharide metabolism (Reply), 646
HOLTON CP. (*See* HUTTER ET AL) (Letter), 820
HOMOKI J, BIRK J, LOOS U, ROTHENBUCHNER G, FAZEKAS ATA, AND TELLER WM. Thyroid function in term newborn infants with congenital goiter, 753
HON EH. Umbilical-arterial catheterization in high-risk infants (Reply), 643
HONG R. (*See* MEUWISSEN ET AL), 169
HORDOF A. (*See* GLADSTONE ET AL), 962
HORNER-MIBASHAN R. (*See* KAPITULNIK ET AL), 442
HORTON R. (*See* FRASIER ET AL) (Letter), 310
HORVATH FL. (*See* PEDEN ET AL) (Letter), 816
HOWARD JB, AND MCCRACKEN GH JR. Reappraisal of kanamycin usage in neonates, 949
HUBER J. (*See* MEUWISSEN ET AL), 169
HUGHES FB, FAEHNLE ST, AND SIMON JL. Multiple cerebral abscesses complicating hepatopulmonary amebiasis (BCLO), 95
HUNT CE. (*See* FRANTZ ET AL), 259
—. (*See* NEAL ET AL), 127
HUNTER A, AND PINSKY L. An evaluation of the possible association of malignant hyperpyrexia with the Noonan syndrome using serum creatine phophokinase levels (BCLO), 412
HURTADO RC, ROLA-PLESZCZYNSKI M, MERIDA MA, HENSEN SA, VINCENT MM, THONG YH, AND BELLANTI JA. The immunologic role of tonsillar tissues in local cell-mediated immune responses (BCLO), 405
HUSSELS-MAUMENEE I. (*See* TEMTAMY ET AL), 724
HUTTER JJ JR, HAYS T, AND HOLTON CP. Spontaneous regression in neuroblastoma (Letter), 820
HSU SH. (*See* SAULSBURY ET AL), 868

I

IGODT-AMEYE L. (*See* CASTEELS-VAN DAELE ET AL) (BCLO), 739
ILLIG R. (*See* PRADER ET AL) (BCLO), 421
INGRAM DL. (*See* SMITH AND INGRAM) (BCLO), 571
ISENBERG JN, AND SHARP HL. Aspartylglucosaminuria: Psychomotor retardation masquerading as a mucopolysaccharidosis, 713
ISRAELS S. (*See* CORMODE ET AL), 862
ITO Y. (*See* KATO ET AL), 892

J

JABERG C. (*See* PLATT ET AL) (Letter), 153
JARVELLA R. (*See* RINGLER ET AL), 141
JELLIFFE EFP. Malarial chemoprophylaxis for pregnant women (Letter), 820
JOB J-C. Hyperplasia of the thyroid in the fetus (Letter), 645
JOCKIN H. (*See* KUHN ET AL) (BCLO), 243
JOHN JF JR, AND DOUGLAS RG JR. Tuberculous archnoiditis (BCLO), 235
JOHNSON LB. (*See* RAUH ET AL), 138

JONES KL, AND SMITH DW. The Williams elfin facies syndrome, 718
—, SMITH DW, HARVEY MAS, HALL BD, AND QUAN L. Older paternal age and fresh gene mutation: Data on additional disorders, 84
—. (*See* BRAUM ET AL) (BCLO), 419
JOYCE T. (*See* TSANG ET AL), 399
JUAN CS. (*See* AVRUSKIN ET AL) (BCLO), 102

K

KAGAN IG. (*See* ANDERSON ET AL) (BCLO), 247
KALLICK CA. (*See* NELSON ET AL), 335
KAMBA A. (*See* ANAGNOSTAKIS ET AL), 759
KANTER AI. (*See* LITMAN ET AL) (BCLO), 410
KAPITULNIK J, HORNER-MIBASHAN R, BLONDHEIM SH, KAUFMANN NA, AND RUSSELL A. Increase in bilirubin-binding affinity of serum with age infant, 442
KAPLAN S. (*See* BAYLEN ET AL), 423
KARAYALCIN G. (*See* CARAMIHAI ET AL) (BCLO), 252
KATO H, KOIKE S, YAMAMOTO, M, ITO Y, AND YANO E. Coronary aneurysms in infants and young children with acute febrile mucocutaneous lymph node syndrome, 892
KATONA PG. (*See* KATTWINKEL ET AL), 588
KATTWINKEL, J, NEARMAN HS, FANAROFF AA, KATONA PG, AND KLAUS, MH. Apnea of prematurity, 588
KATZ J. (*See* MACDOUGALL ET AL), 833
KATZ M. Words and their misuse: An epidemic disorder continued (Letter), 652
—. (*See* MAQBOOL ET AL), 463
KATZMAN GH. Effects of triple dye in a staphylococcal outbreak (Letter), 313
KAUFMANN NA. (*See* KAPITULNIK ET AL), 442
KEATING FR. (*See* RALLISON ET AL), 675
KEATING JP, WELDON CS, CONNORS JP, AND MCALISTER WH. The "pop-top" tab (BCLO), 111
KEENAN W. (*See* TSANG ET AL), 399
KEENAN WJ, AND ALTSHULER G. Massive pulmonary hemorrhage in a neonate, 466
KEIGHTLEY R. (*See* MEUWISSEN ET AL), 169
KEIM H. (*See* ROTHNER ET AL) (BCLO), 748
KELLER E. (*See* MASON AND KELLER) (Letter), 813
KENNELL JH. (*See* RINGLER ET AL), 141
KENIGSBERG K. Infection of umbilical artery stimulating patent urachus (Letter), 151
KERSEY J. (*See* MEUWISSEN ET AL), 169
KERSEY JH. (*See* CHEN ET AL) (BCLO), 904
KHACHADURIAN AK. (*See* SHERMAN ET AL), 518
KHAN AJ, EVANS HE, BOMBACH E. AND RATNER H. Coagulase negative staphylococcal bacteriuria—a rarity in infants and children (Letter), 309
KHOO BH, CHO CT, SMITH SD, AND DUDDING BA. Cervical lymphadenitis due to *Candida albicans* infection (Letter), 812
KILROY A. (*See* WADLINGTON ET AL), 707
KINNEY TR, HARRIS MB, RUSSELL MO, DUCKETT J, AND SCHWARTZ E. Priapism in association with sickle hemoglobinopathies in children (BCLO), 241
KISKER CT. (*See* STRAUSS ET AL) (BCLO), 910
KLAUS MH. (*See* KATTWINKEL ET AL), 588
—. (*See* RINGLER ET AL), 141
KLEIGER RE. (*See* HERNANDEZ ET AL), 182
KLEINMAN LI. (*See* LOGGIE ET AL), 485
—. (*See* LOGGIE ET AL), 657
—. (*See* LOGGIE ET AL), 825
KNITTLE MA, EITZMAN DV, AND BAER H. Role of hand contamination of personnel in the epidemiology of gram-negative nosocomial infections, 433
KOENIG HM, LIGHTSEY AL JR. AND SCHANBERGER, JE. The micromeasurement of free erythrocyte protoporphyrin as a means of differentiating alpha thalassemia trait from iron deficiency anemia, 539
KOENIGSBERGER MR. (*See* CRUMRINE ET AL), 779
KOFFLER H. (*See* TSANG ET AL), 399
KOIKE S. (*See* KATO ET AL), 892
KORFHAGEN J. (*See* BAYLEN ET AL), 423
KOURY K. (*See* DUSSAULT ET AL), 670
KOWARSKI A. (*See* BEITINS ET AL), 302
KOYSOOKO R. (*See* LEVY AND KOYSOOKO), 789
KRAUSS DR, AND MARSHALL RE. Severe neck ulceration from CPAP head box, 286
KRIVIT W. (*See* GELLER ET AL), 198
KROVETZ LJ. (*See* CHI AND KROVETZ, 533
KUHN JP, LEE SB, JOCKIN H, AND WIEDER W. Cerebro-costomandibular syndrome: A case with cardiac anomaly (BCLO), 243
KUN E. (*See* GACS ET AL) (Letter), 990
KUNDIG H. (*See* BUCHANAN ET AL), 225
KUNIN CM. Urinary tract infections in infancy (Editor's column), 483
KUZEMKO JA. Nasojejunal feeding (Letter), 651

L

LABERGE C. (*See* DUSSAULT ET AL), 670
LACHMAN RS. (*See* THIBEAULT ET AL), 120
LAKE A. (*See* STRAUSS ET AL) (BCLO), 910
LAMMI AT. (*See* LOVRIC ET AL), 194
LANZKOWSKY P. Absence of pectoralis major muscle in association with acute leukemia (Letter), 817
—. (*See* CARAMIHAI ET AL) (BCLO), 252
LAUER RM, CONNOR WE, LEAVERTON PE, REITER MA, AND CLARKE WR. Coronary heart disease risk factors in school children: The Muscatine study, 697
LAWLOR GJ JR, AND STIEHM ER. On the classification of primary immunodeficiencies (Reply), 988
LAWRENCE D. (*See* MAQBOOL ET AL), 463
LAZARUS GM, AND NEU HC. Agents responsible for infection in chronic granulomatous disease of childhood (BCLO), 415
LEAVERTON PE. (*See* LAUER ET AL), 697
LEE FA, AND GWINN JL. Roentgen patterns of extravasation of calcium gluconate in the tissues of the neonate, 598
LEE H. (*See* SCHWARTZ AND LEE) (Reply), 820
LEE K, GARTNER LM, AND ZARAFU I. Fluorescent dye method for determination of the bilirubin-binding capacity of serum albumin, 280
LEE PA. Relationship of concentrations of serum hormones to pubertal gynecomastia, 212
—, WELDON VV, AND MIGEON CJ. Short stature as the only clinical sign of Cushing's syndrome (BCLO), 89
LEE SB. (*See* KUHN ET AL) (BCLO), 243

LEES MH. Commentary: Patent ductus arteriosus in premature infants—a diagnostic and therapeutic dilemma, 132
LETARTE J. (*See* DUSSAULT ET AL), 670
LEVIN S. (*See* NELSON ET AL), 335
LEVIN LS. Source of renal vein renin questioned (Reply), 649
LEVINE MD, CAMITTA BM, NATHAN D, AND CURRAN WJ. The medical ethics of bone marrow transplantation in childhood, 145
LEVY G, AND KOYSOOKO R. Pharmacokinetic analysis of the effect of theophylline on pulmonary function in asthmatic children, 789
LEWY PR, AND BELMAN AB. Familial occurrence of nonobstructive, noninfectious vesicoureteral reflux with renal scarring, 851
LIEBERMAN J. (*See* ASARIAN ET AL), 844
LIGHTSEY AL JR. (*See* KOENIG ET AL), 539
LINARELLI LG, PAI KG, PAN SF, AND RUBIN HM. Anomalies associated with partial deletion of long arm of chromosome 11 (BCLO), 750
LINNEBUR AC. (*See* SWENSSON ET AL) (BCLO), 914
LISCHNER H. (*See* MEUWISSEN ET AL), 169
LISKER R. (*See* ARMENDARES AND LISKER) (Letter), 479
LITMAN N, KANTER AI, AND FINBERG L. Galactokinase deficiency presenting as pseudotumor cerebri (BCLO), 410
LITT IF. Ampicillin to abort incubating syphilis? (Reply), 816
—. Commentary on gonorrhea, 798
—, AND COHEN MI. "End of an epidemic?" 293
LOGGIE, JMH, KLEINMAN LI, AND VAN MAANEN EF. Renal function and diuretic therapy in infants and children. Part I, 485
—, —, and —. Renal function and diuretic therapy in infants and children. Part II, 657
—, —, and —. Renal function and diuretic therapy in infants and children. Part III., 825
LOOS U. (*See* HOMOKI ET AL), 753
LOPEZ V, OCHS HD, THULINE HC, DAVIS SD, AND WEDGWOOD RJ. Defective antibody response to bacteriophage ØX 174 in Down syndrome, 207
LOS W. (*See* MEUWISSEN ET AL), 169
LOVRIC VA, BEAL PJ, AND LAMMI AT. Iron-deficiency anemia: Evaluation of compensatory changes, 194
LOWDEN JA. (*See* NORMAN ET AL), 805
LUBIN B. Sickle cell disease—diagnosis, management, education, and research (B rev), 473
LUCAS RV JR. (*See* NEAL ET AL), 127
LYSTER DM. (*See* CORMODE ET AL), 862

M

MCADAMS AJ, MCENERY PT, AND WEST CD. Mesangiocapillary glomerulonephritis: Changes in glomerular morphology with long-term alternate-day prednisone therapy, 23
—. (*See* DIMMICK ET AL) (Letter), 644
MCALISTER WH. (*See* KEATING ET AL) (BCLO), 111
MCCONNELL K. (*See* PLATT ET AL) (Letter), 153
MCCRACKEN GH JR. Commentary on effects of gentamicin on albumin binding of bilirubin, 615
—, AND EICHENWALD HF. Warning about using cephalothin with central nervous system infections (Reply), 316
—. (*See* HOWARD AND MCCRACKEN), 949
MACDOUGALL LG, ANDERSON R, MCNAB GM, AND KATZ J. The immune response in iron-deficient children: Impaired cellular defense mechanisms with altered humoral components, 833
MACE J. (*See* ROWLAND AND MACE) (Letter), 482
MCENERY PT. (*See* MCADAMS ET AL), 23
MCINTOSH LS. (*See* PEARSON ET AL) (BCLO), 917
MCINTOSH S. Erythropoietin excretion in the premature infant, 202
MACLAREN NK, COWLES C, OZAND PT, SHUTTEE R, AND CORNBLATH M. Glycerol intolerance in a child with intermittent hypoglycemia, 43
—, MIGEON CJ, AND RAITI S. Gynecomastia with congenital virilizing adrenal hyperplasia (11-β-hydroxylase deficiency) (BCLO), 579
MCNAB GM. (*See* MACDOUGALL ET AL), 833
MCNAMARA H. (*See* NATHENSON ET AL), 799
MCVICAR M. Words and their misuse: An epidemic disorder continued (Letter), 651
MAGLALANG AC. (*See* ODELL ET AL), 614
MAKKER SP. Minoxidil in refractory hypertension, 621
MALEKZADEH MH, BERNNAN LP, PAYNE VC JR., AND FINE RN. Hypertension after renal transplantation in children, 370
—. (*See* FINE ET AL), 349
MANGE MS. (*See* RHEA ET AL), 451
MAQBOOL S, LAWRENCE D, AND KATZ M. Treatment of trichuriasis with a new drug, mebendazole, 463
MARINO JT JR. Amplication of primary amebic meningoencephalitis (Letter), 160
MARSHALL RE. (*See* KRAUSS AND MARSHALL), 286
MARTI-HENNEBERG C, NIIRIANEN AK, AND RAPPAPORT R. Oxandrolone treatment of constitutional short stature in boys during adolescence: Effect on linear growth, bone age, pubic hair, and testicular development, 783
MARTIN GI. A plea for conservative therapy in congenital chylothorax (Letter), 821
MASON W., AND KELLER E. Acute transient myositis with influenza-like illness (Letter), 813
MATALON R, DAWSON G, AND CHEN GC. Clinical features of mannosidosis (Reply), 314
MATSANIOTIS N. (*See* ANAGNOSTAKIS ET AL), 759
MAYNARD JE. (*See* BOYER ET AL), 919
MELLMAN WJ. On the risk of fresh gene mutation in "older men" (Editor's column), 165
MENTZER WC JR., AND COLLIER E. Hydrops fetalis associated with erythrocyte G-6-PD deficiency and with maternal ingestion of fava beans and ascorbic acid (BCLO), 565
MERIDA MA. (*See* HURTADO ET AL) (BCLO), 405
MEUWISSEN HJ, POLLARA B. PICKERING RJ, AMMANN A, BIGGAR D, BRUNELL P, BUCKLEY R, COHEN F, CROSS V, DISSING J, GIBLETT E, GRISCELLI C, HIRSCHHORN R, HONG R, HUBER J, KEIGHTLEY R, KERSEY J, DE KONING J, LISCHNER H, LOS W, MOORE EC, OCHS HD, PACHMAN L, PARKS B, ROSEN F, SINGER D, SOUTH MA, WARA D, AND WOLFSON J. Combined immunodeficiency disease associated with adenosine deaminase deficiency, 169
MEYER RA. (*See* BAYLEN ET AL), 423
MEYER WJ. (*See* MILLER ET AL) (BCLO), 233
MIDDLETON PJ. (*See* FULTON AND MIDDLETON), 17

MIGEON CJ. (*See* BEITINS ET AL), 302
—. (*See* LEE ET AL) (BCLO), 89
—. (*See* MACLAREN ET AL) (BCLO), 579
MILLER JD. (*See* TEMTAMY ET AL), 724
MILLER LD. (*See* FISCH ET AL), 497
MILLER RW. (*See* YOUNG AND MILLER (BCLO), 254
MILLER WL, MEYER WJ, AND BARTTER FC. Intermittent hyperphosphatemia, polyuria, and seizures—new familial disorder (BCLO), 233
MINSKY AA. (*See* RUDOLPH AND MINSKY) (Letter), 475
MISER A, GERACI TK, AND WENNBERG RP. Fatal erythroblastosis fetalis due to anti-Kell isoimmune disease (BCLO), 567
MODANLOU HD. Umbilical-arterial catheterization in high-risk infants (Reply), 642
MOLLER J, AND EBBESEN F. Phototherapy in newborn infants with severe rhesus hemolytic disease, 135
MOLLER JH. (*See* NEAL ET AL), 189
MONNENS L, GABREËLS F, AND WILLEMS J. A metabolic myopathy associated with chronic lactic acidemia, growth failure, and nerve deafness (Letter), 983
MONTELEONE JA. (*See* PEDEN ET AL) (Letter), 816
MONTELEONE PL. (*See* GIANGIACOMO ET AL) (BCLO), 98
MONTGOMERY JC. (*See* CHANG ET AL) (Letter), 639
MOORE EC. (*See* MEUWISSEN ET AL), 169
MORENO H. (*See* CASTLEBERRY ET AL) (Letter), 989
MORRIS KE. (*See* RANDOLPH ET AL), 342
MORROW G III. (*See* STEVENS ET AL) (BCLO), 907
MOSS AJ, FINKELSTEIN S, CRUDUP C, YOUNG GA, DOOLEY RR, AND OSHER AB. Absorption of digoxin in children with cystic fibrosis, 295
MULLINS CE. (*See* BEUDET ET AL), 388

N

NADAS AS. (*See* GREENWOOD ET AL) (BCLO), 576
NADLER HL. (*See* BOOTH ET AL), 560
—. (*See* SHAPIRA AND NADLER), 881
NATHAN D. (*See* LEVINE ET AL), 145
NATHENSON G, COHEN MI, AND NCNAMARA H. The effect of Na benzoate on serum bilirubin of the Gunn rat, 799
—, SPIGLAND I, AND EISENBERG R. Benign neonatal arrhythmias and Coxsackie B virus infection (Letter), 152
NAVOJOSKY BJ. (*See* RINGLER ET AL), 141
NEAL WA, BESSINGER RB JR, HUNT CE, AND LUCAS RV JR. Patent ductus arteriosus complicating respiratory distress syndrome, 127
—, MOLLER JH, VARCO RL, AND ANDERSON RC. Operative repair of atrial septal defect without cardiac catheterization, 189
NEARMAN HS. (*See* KATTWINKEL ET AL), 588
NELSON DL, BLAESE RM, STROBER W, BRUCE RM, AND WALDMANN TA. Constrictive pericarditis, intestinal lymphangiectasia, and reversible immunologic deficiency, 548
NELSON KE, GAVITT F, BATT MD, KALLICK CA, REDDI KT, AND LEVIN S. The role of adenoviruses in the pertussis syndrome, 335
NELSON KG. Umbilical-arterial catheterization in high-risk infants (Letter), 641
NELSON, RJ. (*See* THIBEAULT ET AL), 120
NELSON WE. Transient neonatal diabetes—possible therapeutic use for glucagon (Comment), 476
NETER E. (*See* REPICE AND NETER) (BCLO), 91
NEU HC. (*See* LAZARUS AND NEU) (BCLO), 415
NICHOLS BL, AND VITERI E. F. On the pathogenesis of deranged nitrogen metabolism in protein-calorie malnutrition (Reply), 650
NICHOLS BL JR. (*See* BEAUDET ET AL), 388
NIIRIANEN AK. (*See* MARTI-HENNEBERG ET AL), 783
NORMAN MG, WAISBERG HA, AND LOWDEN JA. Progressive deafness and dementia in an 8-year-old boy, 805
NORTHWAY JD. (*See* ANAND ET AL) (Letter), 985
NYHAN WL. (*See* WADLINGTON ET AL), 707

O

OBERMAN HA. Replacement transfusion in the newborn infant: A commentary, 586
O'BRIEN ML. (*See* DI LIBERTI ET AL) (BCLO), 106
O'BRIEN RT. (*See* PEARSON ET AL) (BCLO), 917
OCHS HD. (*See* LOPEZ ET AL), 207
—. (*See* MEUWISSEN ET AL), 169
O'CONNOR DM. (*See* RODEN ET AL), 56
ODELL GB, CUKIER JO, AND MAGLALANG AC. Commentary on effects of gentamicin on albumin binding of bilirubin, 614
ODIEVRE M. (*See* ALAGILLE ET AL), 63
OGDEN JA. Treatment positions for congenital dysplasia of the hip, 732
OH, W. (*See* THIBEAULT ET AL), 120
—. (*See* TSANG ET AL), 936
ONG, M, AND DUPONT CL. The LaBrosse VMA spot test revisited (BCLO), 238
OPPENHEIMER EH, AND ESTERLY JR. Hepatic changes in young infants with cystic fibrosis: Possible relation to focal biliary cirrhosis, 683
OSICKA CJ. On the significance of statistical significance (Reply), 157
OSHER AB. (*See* MOSS ET AL), 295
OSKI FA. (*See* ATHREYA AND OSKI) (Letter), 315
—. (*See* SWENDER ET AL) (BCLO), 97
—. (*See* VOORHESS ET AL), 542
OSTREA EM JR, AND SCHUMAN H. The role of the pediatric nurse practitioner in a neonatal unit, 628
OZAND PT. (*See* MACLAREN ET AL), 43

P

PACHMAN L. (*See* MEUWISSEN ET AL), 169
PAI KG. (*See* LINARELLI ET AL) (BCLO), 750
PAN SF. (*See* LINARELLI ET AL) (BCLO), 750
PARKINS, FM. Periodontal disease in children and adolescents (B rev), 632
PARKS B. (*See* MEUWISSEN ET AL), 169
PASTER SB. (*See* SWENSSON ET AL) (BCLO), 914
PATTISON CP. (*See* BOYER ET AL), 919
PAYNE VC JR. (*See* MALEKZADEH ET AL), 370
PEARSON HA, GUILIOTIS DK, O'BRIEN RT, MCINTOSH LS, AND ASPNES GT. Thalassemia in Greek Americans (BCLO), 917

PEDEN VH, MONTELEONE JA, AND HORVATH FL. Incidence of goiter in an elementary school population (Letter), 816
PENCHANSKY L. (*See* GIANGIACOMO ET AL) (BCLO), 98
PENFOLD JL, AND SIMPSON DA. Premature craniosynostosis—a complication of thyroid replacement therapy, 360
PERLMAN M. More on the "oligohydraminios syndrome" (Letter), 481
PETERSEN NJ. (*See* BOYER ET AL), 919
PETROCHILOU V. (*See* ANAGNOSTAKIS ET AL), 759
PETTIFOR, JM, AND BENSON R. Congenital malformations associated with the administration of oral anticoagulants during pregnancy, 459
PHELAN E. (*See* PICKERING AND PHELAN) (BCLO), 745
PHILIP AGS. Fontanel size and epiphyseal ossification in neonatal twins discordant by weight (BCLO), 417
PICKERING LK, AND PHELAN E. Sinus histiocytosis (BCLO), 745
PICKERING RJ. (*See* MEUWISSEN ET AL), 169
PIERAERT C, FARRIAUX JP, AND FONTAINE G. On the classification of primary immunodeficiencies (Letter), 988
—. (*See* FARRIAUX ET AL) (Letter), 639
PINSKY L. (*See* HUNTER AND PINSKY) (BCLO), 412
PIOUS D. Cell surfaces, genetics, and congenital malformations (Editor's column), 162
PLACKO RP. (*See* GRAHAM AND PLACKO), 965
PLATT MS, POTTER JL, JABERG C., AND MCCONNELL K. Expected values for ultramicro samples of liver functions (Letter), 153
POITRAS B, ROSENTHAL A, AND HALL JE. Scoliosis and coarctation of the aorta (Letter), 476
POLLARA B. (*See* MEUWISSEN ET AL), 169
POTTER JL. (*See* PLATT ET AL) (Letter), 153
PRADER A, ZACHMANN M, AND ILLIG R. Luteinizing hormone deficiency in hereditary congenital adrenal hypoplasia (BCLO), 421
PRAMANIK A. (*See* TSANG ET AL), 399
PRENTICE, GR. Textbook of child neurology (B rev), 632
PRICE SE JR. (*See* GIRDANY AND PRICE) (Editor's column), 998
PRINDULL B. (*See* PRINDULL ET AL), 773
PRINDULL G, PRINDULL B, RON A, AND YOFFEY JM. Cells in spontaneous DNA synthesis in cord blood of premature and full-term newborn infants, 773
PURTILO DT, BREM J, CECCACI L, CASSEL C, AND FITZPATRICK AJ. A family study of pigeon breeders' disease (BCLO), 569

Q

QUAN L. (*See* JONES ET AL), 84

R

RAGER R, AND FINEGOLD MJ. Cholestasis in immature newborn infants: Is parenteral alimentation responsible? 264
RAITI S. (*See* MACLAREN ET AL) (BCLO), 579
RALL JE. (*See* RALLISON ET AL), 675
RALLISON ML, DOBYNS BM, KEATING FR, RALL JE, AND TYLER FH. Occurrence and natural history of chronic lymphocytic thyroiditis in childhood, 675
RANDOLPH MF, MORRIS KE, AND GOULD EB. The first urinary tract infection in the female infant, 342
RAO M, STEINER P, AND VICTORIA MS. Nasal congestion as a side effect of cromolyn sodium in a pediatric patient, 804
RAPPAPORT E. (*See* FIFE AND RAPPAPORT) (Letter), 156
RAPPAPORT R. (*See* MARTI-HENNEBERG ET AL), 783
RASMUSSEN LF. (*See* WENNBERG AND RASMUSSEN), 611
RATNER H. (*See* KHAN ET AL) (Letter), 309
RAUH JL, SCHIFF GM, AND JOHNSON LB. Follow-up studies of rubella vaccinees at adolescence, 138
REDDI KT. (*See* NELSON ET AL), 335
REFETOFF S. Hyperplasia of the thyroid in the fetus (Reply), 645
REITER EO. (*See* WARA ET AL) (BCLO), 743
REITER MA. (*See* LAUER ET AL), 697
REPICE JP, AND NETER E. *Pasteurella multocida* meningitis in an infant with recovery (BCLO), 91
RHEA JW, AHMAD MS, AND MANGE MS. Nasojejunal (transpyloric) feeding: A commentary, 451
RHODES PG, BURRY VF, HALL RT, AND COX R. Pneumococcal septicemia and meningitis in the neonate, 593
RIGGS LA. (*See* DOBSON ET AL), 555
RIMOIN DL. (*See* HOLLISTER AND RIMOIN) (Reply), 646
RINGENBURG WE. (*See* BAYLEN ET AL), 423
RINGLER NM, KENNELL JH, JARVELLA R, NAVOJOSKY BJ, AND KLAUS MH. Mother-to-child speech at 2 years—effects of early postnatal contact, 141
ROBERTS RM. (*See* BAIG ET AL), 72
ROCHE AF. (*See* WETTENHALL ET AL), 602
RODEN VJ, CANTOR HE, O'CONNOR DM, SCHMIDT RR, AND CHERRY JD. Acute hemiplegia of childhood associated with Coxsackie A9 viral infection, 56
RODRIGUEZ-SORIANO J, VALLO A, AND GARCIA-FUENTES M. Distal renal tubular acidosis in infancy: A bicarbonate wasting state, 524
ROGERS MC. (*See* TODRES ET AL), 781
ROLA-PLESZCZYNSKI M, FRENKEL LD, AND BELLANTI JA. Combined immunodeficiency and transfer factor (Letter), 818
—, HENSEN SA, VINCENT MM, AND BELLANTI JA. Inhibitory effects of bilirubin on cellular immune responses in man, 690
—. (*See* HURTADO ET AL) (BCLO), 405
ROMSHE CA, AND SOTOS JF. Intracranial human chorionic gonadotropin-secreting tumor with precocious puberty (BCLO), 250
RON A. (*See* PRINDULL ET AL), 773
ROOT AW. Endocrine aspects of malnutrition. Marasmus, kwashiorkor and psychosocial deprivation (B rev), 632
ROSEN F. (*See* MEUWISSEN ET AL), 169
ROSENGART RM. (*See* THIBEAULT ET AL), 120
ROSENLUND ML. (*See* SCANLIN ET AL) (Letter), 984
ROSENTHAL A. (*See* GREENWOOD ET AL) (BCLO), 576
—. (*See* POITRAS ET AL) (Letter), 476
ROTHENBUCHNER G. (*See* HOMOKI ET AL), 753
ROTHNER AD, KEIM H, AND CHUTORIAN AM. Occult neuromuscular disease in 100 consecutive patients with scoliosis (BCLO), 748
ROWE RD. The preoperative cardiac catheterization and angiocardiogram (Editor's column), 319

ROWLAND D, AND MACE J. Coincidence of Wolff-Parkinson-White and Marfan syndromes (Letter), 482
ROY CC, STE-MARIE M., CHARTRAND L, WEBER A, BARD H, AND DORAY B. Correction of the malabsorption of the preterm infant with a medium-chain triglyceride formula, 446
RUBIN HM. (*See* LINARELLI ET AL) (BCLO), 750
RUDMAN D. (*See* ABITBOL ET AL), 766
RUDOLPH N, AND MINSKY AA. Transient neonatal diabetes—possible therapeutic use for glucagon (Letter), 475
RUSSELL A. (*See* KAPITULNIK ET AL), 442
RUSSELL MO. (*See* KINNEY ET AL) (BCLO), 241

S

SADEGHI-NEJAD A, HOCHMAN H, AND SENIOR B. Studies in Type I glycogenosis: The paradoxical effect of ethanol on lactate, 37
—, AND SENIOR B. The origin of the hypothalamus (Reply), 652
SAFER DJ, ALLEN RP, AND BARR E. Growth rebound after termination of stimulant drugs, 113
SARAYA AK. (*See* CHANDRA AND SARAYA) (BCLO), 899
SAULSBURY FT, WINKELSTEIN JA, DAVIS LE, HSU SH, D'SOUZA BJ, GUTCHER GR, AND BUTLER IJ. Combined immunodeficiency and vaccine-related poliomyelitis in a child with cartilage-hair hypoplasia, 868
SAY B. Misuse of acronyms and VATER association (Letter), 315
—. (*See* BINGÖL ET AL) (BCLO), 902
SCANLIN TF, SHAPIRO RS, AND ROSENLUND ML. Vocal cord paralysis in cystic fibrosis (Letter), 984
SCHANBERGER JE (*See* KOENIG ET AL), 539
SCHERZER AL. Hydrocele following placement of a ventriculoperitoneal shunt (Letter), 811
SCHIFF GM. (*See* RAUH ET AL), 138
SCHLESINGER ER. (*See* SULTZ ET AL) (Editor's column), 654
SCHMIDT RR. (*See* RODEN ET AL), 56
SCHNEIDER AJ. (*See* SWENDER ET AL) (BCLO), 97
SCHUMAN H. (*See* OSTREA AND SCHUMAN), 628
SCHWAB JG, AND SCHWARTZ AD. Fluoridated water supplies: An inadequate source of fluoride for children (BCLO), 735
SCHWARTZ AD, AND LEE H. Spontaneous regression in neuroblastoma (Reply), 820
—. (*See* SCHWAB AND SCHWARTZ) (BCLO), 735
SCHWARTZ E. (*See* KINNEY ET AL) (BCLO), 241
SCOTT CI. (*See* DAENTL ET AL) (BCLO), 107
SCRUTTON MO. (*See* GROVER AND SCRUTTON), 216
SENGERS RCA, TER HAAR BGA, TRIJBELS JMF, WILLEMS JL, DANIELS O, AND STADHOUDERS, AM. Congenital cataract and mitochondrial myopathy of skeletal and heart muscle associated with lactic acidosis after exercise, 873
SENIOR B. (*See* SADEGHI-NEJAD ET AL), 37
—. (*See* SADEGHI-NEJAD AND SENIOR) (Reply), 652
SERLIN SP, AND DAILY WJR. Tracheal perforation in the neonate: A complication of endotracheal intubation, 596
SHAPIRA E, AND NADLER HL. The nature of the residual arylsulfatase activity in metachromatic leukodystrophy, 881
SHAPIRO RS. (*See* SCANLIN ET AL) (Letter), 984
SHARP HL. (*See* ISENBERG AND SHARP), 713
SHAYWITZ BA. Brachial plexus neuropathy in childhood (BCLO), 913
SHERMAN JO, HAMLY C-A, AND KHACHADURIAN AK. Use of an oral elemental diet in infants with severe intractable diarrhea, 518
SHIELDS JJ. Regional planning for pediatric services (Letter), 155
SHUTTEE R. (*See* MACLAREN ET AL), 43
SIMPSON DA. (*See* PENFOLD AND SIMPSON), 360
SIMON JL. (*See* HUGHES ET AL) (BCLO), 95
SINGER D. (*See* MENUWISSEN ET AL), 169
SINGH J, TRAVELLA D, AND DI FERRANTE N. Measurements of arylsulfatases A and B in human serum (BCLO), 574
SITARZ AL. Severe lead poisoning in a 6-month-old infant (Letter), 810
SMITH AL. (*See* EMERSON ET AL), 617
SMITH DH. (*See* EMERSON ET AL), 617
SMITH DW. (*See* BAUM ET AL) (BCLO), 419
—. (*See* DAENTL ET AL) (BCLO), 107
—. (*See* FELDMAN AND SMITH), 395
—. (*See* HANSON AND SMITH) (Letter), 652
—. (*See* JONES AND SMITH), 718
—. (*See* JONES ET AL), 84
SMITH EWP, AND INGRAM DL. Counterimmunoelectrophoresis in *Hemophilus influenzae* Type b epiglottitis and pericarditis (BCLO), 571
SMITH SD. (*See* KHOO ET AL) (Letter), 812
SOLOMON IL. (*See* BREESE AND SOLOMON), 117
SÖRNÄS R. (*See* ARONSON ET AL) (Reply), 990
SOTELO-AVILA C, TAYLOR FM, AND EWING CW. Amplification of primary amebic meningoencephalitis (Reply), 161
SOTOS JF. (*See* ROMSHE AND SOTOS) (BCLO), 250
SOUTH MA. (*See* MEUWISSEN ET AL), 169
SPAHR RC. Septic arthritis due to Moraxella species (Letter), 310
SPENCER MJ, CHERRY JD, ADAMS FH, AND BYATT PH. Supraventricular tachycardia in an infant associated with a rhinoviral infection (Letter), 811
SPIGLAND I. (*See* NATHENSON ET AL) (Letter), 152
STADHOUDERS AM. (*See* SENGERS ET AL), 873
STEICHEN J. (*See* TSANG ET AL), 399
STEINER P. (*See* RAO ET AL), 804
STE-MARIE M. (*See* ROY ET AL), 446
STEVENS R, CROSS HE, AND MORROW G III. Histidinemia with features of the Marfan syndrome (BCLO), 907
STEWART DR. Words and their misuse: An epidemic disorder continued (Letter), 651
STIEHM ER. (*See* LAWLOR AND STIEHM) (Reply), 988
STOCKMAN JA. (*See* VOORHESS ET AL), 542
STRAUSS A. (*See* HERNANDEZ ET AL), 182
STRAUSS RG, BOVE KE, LAKE A, AND KISKER CT. Acquired immunodeficiency in hepatitis-associated aplastic anemia (BCLO), 910
—, AND HAKE DA. Combined immunodeficiency and transfer factor (Reply), 819
STROBER W. (*See* NELSON ET AL), 548
STRUB R. (*See* TSANG ET AL), 399
STUART MJ. (*See* VOORHESS ET AL), 542
STUMPF DA. The Winchester syndrome and mucopolysaccharide metabolism (Letter), 646
SULAYMAN RF, GIRI N, AND CHIEMMONGKOLTIP P. Myocardial infarction complicating bacterial endocarditis in rheumatic heart disease, 59

SULTZ HA, HART BA, ZIELEZNY M, AND SCHLESINGER ER. Is mumps virus an etiologic factor in juvenile diabetes mellitus? (Editor's column), 654
SWEETMAN L. (*See* WADLINGTON ET AL), 707
SWENDER PT, SCHNEIDER AJ, AND OSKI FA. A functional hospital discharge summary (BCLO), 97
SWENSSON RE, LINNEBUR AC, AND PASTER SB. Striking aortic root dilatation in a patient with the Larsen syndrome (BCLO), 914
SWICK HM. Calcification of intervertebral discs in childhood, 364
SYMONS BM. Source of renal vein renin questioned (Letter), 648

T

TAKAHASHI M., BERNSTEIN B, AND HANSON V. Echographic interpretation of pericardial effusion (Reply), 646
TSANG S-C. (*See* AVRUSKIN ET AL) (BCLO), 102
TASHJIAN AH JR. (*See* BROWN ET AL), 77
TAYLOR FM. (*See* SOTELO-AVILA ET AL) (Reply), 161
TELLER WM. (*See* HOMOKI ET AL), 753
TEMTAMY SA, MILLER JD, AND HUSSELS-MAUMENEE I. The Coffin-Lowry syndrome: An inherited faciodigital mental retardation syndrome, 724
TER HAAR BGA. (*See* SENGERS ET AL), 873
THACH BT. (*See* FRANTZ ET AL), 438
THIBEAULT DW, EMMANOUILIDES GC, NELSON RJ, AND LACHMAN RS, ROSENGART RM, AND OH W. Patent ductus arteriosus complicating the respiratory distress syndrome in preterm infants, 120
THOMPSON J. (*See* GIANGIACOMO ET AL) (BCLO), 98
THONG YH. (*See* HURTADO ET AL) (BCLO), 405
THORNEYCROFT IH. (*See* FRASIER ET AL) (Letter), 310
THULINE HC. (*See* LOPEZ ET AL), 207
TIPPETT P. (*See* DANKS ET AL), 382
TODRES ID, AND ROGERS MC. Methods of external cardiac massage in the newborn infant, 781
TOMPKINS DG. (*See* CROSBY ET AL) (Letter), 986
TOULOUKIAN RJ. Isosmolar coma during parenteral alimentation with protein hydrolysate in excess of 4 gm/kg/day, 270
TRAVELLA D. (*See* SINGH ET AL) (BCLO), 574
TRIJBELS JMF. (*See* SENGERS ET AL), 873
TSANG RC, CHEN I-W, FRIEDMAN MA, GIGGER M, STEICHEN J, KOFFLER H, FENTON L, BROWN D, PRAMANIK A, KEENEN W, STRUB R, AND JOYCE T. Parathyroid function in infants of diabetic mothers, 399
—, GIGGER M, OH W, AND BROWN DR. Studies in calcium metabolism in infants with intrauterine growth retardation, 936
TURNER T. (*See* DI LIBERTI ET AL) (BCLO), 106
TYLER FH. (*See* RALLISON ET AL), 675

V

VALLO A. (*See* RODRIGUEZ-SORIANO ET AL), 524
VAN DEN BERG BJ. (*See* BECK AND VAN DEN BERG), 504
VAN MAANEN EF. (*See* LOGGIE ET AL), 485
—. (*See* LOGGIE ET AL), 657
—. (*See* LOGGIE ET AL), 825
VARCO RL. (*See* NEAL ET AL), 189
VELASCO EG, AND BRASEL JA. DNA polymerase activity in normal and malnourished rat placentas, 274
VICTORIA MS. (*See* RAO ET AL), 804
VINCENT MM. (*See* HURTADO ET AL) (BCLO), 405
—. (*See* ROLA-PLESZCZYNSKI ET AL), 690
VITERI EF. (*See* NICHOLS AND VITERI E) (Reply), 650
VOGEL I. (*See* BARTELS ET AL), 298
VOORHESS ML, STUART MJ, STOCKMAN JA, AND OSKI FA. Iron deficiency anemia and increased urinary norepinephrine excretion, 542

W

WADLINGTON WB, KILROY A, ANDO T, SWEETMAN L, AND NYHAN WL. Hyperglycinemia and propionyl CoA carboxylase deficiency and episodic severe illness without consistent ketosis, 707
WAISBERG HA. (*See* NORMAN ET AL), 805
WALDMANN TA. (*See* NELSON ET AL), 548
WALLACE LS. (*See* CASTLEBERRY ET AL) (Letter), 989
WANG NS. (*See* FRANTZ ET AL), 438
WARA D. (*See* MEUWISSEN ET AL), 169
WARA DW, REITER EO, DOYLE NE, GEWURZ H, AND AMMANN AJ. Persistent Clq deficiency in a patient with a systemic lupus erythematosus-like syndrome (BCLO), 743
WEBER A. (*See* ROY ET AL), 446
WEDGWOOD RJ. (*See* LOPEZ ET AL), 207
WEISS BA. (*See* FRASIER ET AL) (Letter), 310
WELDON CS. (*See* KEATING ET AL) (BCLO), 111
WELDON VV. (*See* CLARKE AND WELDON) (Letter), 814
—. (*See* LEE ET AL) (BCLO), 89
WENNBERG RP. (*See* MISER ET AL) (BCLO), 567
—, AND RASMUSSEN LF. Effects of gentamicin on albumin binding of bilirubin, 611
WEST CD. (*See* MCADAMS ET AL), 23
WETTENHALL HNB, CAHILL C, AND ROCHE AF. Tall girls: A survey of 15 years of management and treatment, 602
WHEELER WE. (*See* FOSSON AND WHEELER), 32
WHITE D. (*See* EBERLE ET AL), 356
WIEDER W. (*See* KUHN ET AL) (BCLO), 243
WIENTZEN RL. Ampicillin to abort incubating syphilis? (Letter), 816
WILLEMS J. (*See* MONNENS ET AL) (Letter), 983
WILLEMS JL. (*See* SENGERS ET AL), 873
WINKELSTEIN JA. (*See* SAULSBURY ET AL), 868
WINTERS RW. (*See* HEIRD AND WINTERS), 2
WOLFSON J. (*See* MEUWISSEN ET AL), 169
WOLLMAN MR, YOUNG LS, ARMSTRONG D, AND HAGHBIN M. Anti-Pseudomonas heat-stable opsonins in acute lymphoblastic leukemia of childhood, 376
WRIGHT FH. Manpower issues and voluntary regulation in the medical specialty system, (B rev), 632
WRIGHT HT JR. (*See* FINE ET AL), 349

Y

YAMAMOTO M. (*See* KATO ET AL), 892
YANO E. (*See* KATO ET AL), 892

YOFFEY JM. (*See* PRINDULL ET AL), 773
YOUNG GA. (*See* MOSS ET AL), 295
YOUNG JL JR, AND MILLER RW. Incidence of malignant tumors in U.S. Children (BCLO), 254
YOUNG LS. (*See* WOLLMAN ET AL), 376
YUNIS EJ. (*See* CHEN ET AL) (BCLO), 904

Z

ZACHMANN M. (*See* PRADER ET AL) (BCLO), 421
ZAKHEIM RM. (*See* CHANG ET AL) (Letter), 639
ZALUSKY R. (*See* GELLER ET AL), 198
ZANJANI ED. (*See* GELLER ET AL), 198
ZARAFU I. (*See* LEE ET AL), 280
ZARKOSWKY H. Words and their misuse: An epidemic disorder continued (Letter), 651
ZEE DS, AND ZINKHAM WH. Demonstration of parasitism in tissues by electrophoretic definition of parasite enzymes in host tissues (BCLO), 408
ZELLWEGER H. Marshall syndrome: Eulogy or resurrection? (Letter), 817
ZIELEZNY M. (*See* SULTZ ET AL) (Editor's column), 654
ZINKHAM WH. (*See* ZEE AND ZINKHAM) (BCLO), 408

*Subject index**

A

Aarskog facial-digital-genital syndrome (Berman et al), 885
Abnormality, fetal, breech presentation as an indicator of (Braum et al) (BCLO), 419
Abscesses, multiple cerebral, complicating hepatopulmonary amebiasis (Hughes et al) (BCLO), 95
Absorption, mal-, correction of, in preterm infant with medium-chain triglyceride formula (Roy et al), 446
Abstracts, Midwest Society for Pediatric Research, October 30-31, Chicago, Ill., 970
Acetaminophen ingestion, maternal—association with renal failure and polyhydramnios (Char et al) (Letter), 638
Acid(s), ascorbic, and fava beans, maternal ingestion of, and erythrocyte G-6-PD deficiency associated with hydrops fetalis (Mentzer and Collier) (BCLO), 565
concentrations in iron deficiency anemia (Bingöl et al) (BCLO), 902
free fatty, and blood glucose in hypoxemia (Gacs et al) (Letter), 990; (Harris) (Reply), 991
plasma amino, patterns during intravenous nutrition of LBW infants (Abitbol et al), 766
Acidemia, lactic, growth failure, and nerve deafness associated with metabolic myopathy (Monnens et al) (Letter), 983
Acidosis, distal renal tubular: Bicarbonate wasting state (Rodriguez-Soriano et al), 524
lactic, after exercise associated with cataract and myopathy (Sengers et al), 873
Aciduria, argininosuccinic, survival of infant with (Farriaux et al) (Letter), 639
Adenosine deaminiase deficiency associated with combined immunodeficiency disease (Meuwissen et al), 169
Adenoviruses in pertussis syndrome (Nelson et al), 335
Adolescence, follow-up studies of rubella vaccinees at (Rauh et al), 138
plasma lipid values and lipoprotein patterns in boys during (Court and Dunlop), 453
Adolescent boys, constitutional short stature in, oxandrolone treatment of (Marti-Henneberg et al), 783
iron intake and transferrin saturation in (Daniel et al), 288
Adrenal function in normal infants and in marasmus and kwashiorkor (Beitins et al), 302
hyperplasia, congenital, elevated amniotic fluid concentration of 17 α-hydroxyprogesterone in (Frasier et al) (Letter), 310
virilizing, gynecomastia with (Maclaren et al) (BCLO), 579
hypoplasia, hereditary congenital, luteinizing hormone deficiency in (Prader et al) (BCLO), 421
Albumin binding of bilirubin, effects of gentamicin on (Wennberg and Rasmussen), 611; commentary (Odell et al), 614; commentary (Macracken), 615
serum, fluorescent dye method for determination of bilirubin-binding capacity of (Lee et al), 280
Alimentation, parenteral: Responsible for cholestasis in immature newborn infants? (Rager and Finegold), 264
with protein hydrolysate, isomolar coma during (Touloukian), 270
Amebiasis, hepatopulmonary, complicated by multiple cerebral abscesses (Hughes et al) (BCLO), 95
Amebic meningoencephalitis, primary, amplification of (Marino) (Letter), 160; (Sotelo-Avila et al) (Reply), 161
Amino acid patterns, plasma, during intravenous nutrition of LBW infants (Abitbol et al), 766
Aminopyrine—effective modifier of liver and serum gamma glutamyl transpeptidase (Bartels et al), 298
Amniotic fluid cells and cultivated human skin fibroblasts, cerebroside sulfatase activity in (Booth et al), 560
concentration, elevated, of 17 α-hydroxyprogesterone in congenital adrenal hyperplasia (Frasier et al) (Letter), 310
Amphotericin B treatment, short-term, of severe childhood histoplasmosis (Fosson and Wheeler), 32
Ampicillin to abort incubating syphilis? (Wientzen) (Letter), 816; (Litt) (Reply), 816
Analbuminemia in a neonate (Cormode et al), 862
Anemia, acute hemolytic, as manifestation of Wilson disease (Buchanan) (BCLO), 245
aplastic, hepatitis-associated, in acquired immunodeficiency (Strauss et al) (BCLO), 910
Fanconi, and growth hormone deficiency (Clarke and Weldon) (Letter), 814
hemolytic, and granulocytopenia as complications of propylthiouracil therapy (Breese and Solomon), 117
iron deficiency, and urinary norepinephrine excretion (Voorhess et al), 542
differentiated from alpha thalassemia trait by means of micromeasurement of free erythrocyte protoporphyrin (Koenig et al), 539
Evaluation of compensatory changes (Lovric et al), 194
Infection susceptibility and host defense (Buckley) (Editor's column), 993
plasma, erythrocyte, and leukocyte ascorbic acid concentrations in (Bingöl et al) (BCLO), 902
sickle cell, and lead poisoning, neuropathy with (Athreya and Oski) (Letter), 315
Aneurysms, coronary, with febrile mucocutaneous lymph node syndrome (Kato et al), 892
Angiocardiogram and preoperative cardiac catheterization (Rowe) (Editor's column), 319

*January, pp 1-168; February, pp 169-320; March, pp 321-484; April, pp 485-656; May, pp 657-824; June, pp 825-1000.

Antibiotics, 17, *Hemophilus influenzae* type B susceptibility to (Emerson et al), 617
Antibody response, defective, to bacteriophage ØX 174 in Down syndrome (Lopez et al), 207
Anticoagulants, oral, administration of during pregnancy associated with congenital malformations (Pettifor and Benson), 459
Antidote, use of physostigmine as, in diazepam intoxication (Di Liberti et al) (BCLO), 106
Antitrypsin, alpha-1-, deficiency associated with childhood cirrhosis (Asarian et al), 844
Anus, imperforate, cardiovascular malformations associated with (Greenwood et al) (BCLO), 576
Aorta, coarctation of, and scoliosis (Poitras et al) (Letter), 476
Aortic root dilatation, striking, in Larsen syndrome (Swensson et al) (BCLO), 914
Aplasia, congenital pure red cell, with lack of erythropoietic inhibitory effect of serum (Geller et al), 198
thymic, with graft-versus-host disease (Chen et al) (BCLO), 904
Aplastic anemia, hepatitis-associated, in acquired immunodeficiency (Strauss et al) (BCLO), 910
Apnea of prematurity (Kattwinkel et al), 588
Archnoiditis, tuberculous (John and Douglas) (BCLO), 235
Argininosuccinic aciduria, survival of infant with (Farriaux et al) (Letter), 639
Arrhythmias, benign neonatal, and Coxsackie B virus infection (Nathenson et al) (Letter), 152
Arteriosus, patent ductus, and pulmonary arteriovenous fistula (Crosby et al) (Letter), 986
disease—echocardiographic assessment (Baylen et al), 423
complicating RDS in preterm infants (Thibeault et al), 120; (Neal et al), 127; (Lees), 132
Arterial-umbilical catheterization (Emans) (Letter), 641; (Nelson) (Letter), 641; (Chambers) (Letter), 642; (Modanlou) (Reply), 642; (Hon) (Reply), 643; (Behrman) (Editorial reply), 643
Artery, umbilical, infection of, stimulating patent urachus (Kenigsberg) (Letter), 151
Arthritis, septic, due to *Moraxella* species (Spahr) (Letter), 310
Arylsulfatase(s) A and B in human serum, measurements of (Singh et al) (BCLO), 574
activity, residual, in metachromatic leukodystrophy (Shapira and Nadler), 881
Ascorbic acid and fava beans, maternal ingestion of, and erythrocyte G-6-PD deficiency associated with hydrops fetalis (Mentzer and Collier) (BCLO), 565
concentrations (plasma, erythrocyte and leukocyte) in iron deficiency anemia (Bingöl et al) (BCLO), 902
Aspartylglucosaminuria: Psychomotor retardation masquerading as mucopolysaccharidosis (Isenberg and Sharp), 713
Aspiration, experimental meconium: Effects of glucocorticoid treatment (Frantz et al), 438
Aspirin and dipyridamole to treat hemolytic-uremic syndrome (Arenson and August), 957
Asthmatic children, effect of theophylline on pulmonary function in (Levy and Koysooko), 789
Atresia, extrahepatic biliary, and polysplenia syndrome (Dimmick et al) (Letter), 644
Atrial septal defect, operative repair of, without cardiac catheterization (Neal et al), 189
Atrophy, fat, insulin induced—insulin in treatment of (Ferland and Ehrlich) (BCLO), 741

B

Baboons, young, experimental salicylate intoxication in (Buchanan and Eyberg), 225
Bacterial endocarditis in rheumatic heart disease complicated by myocardial infarction (Sulayman et al), 59
Bacteriophage ØX 174 in Down syndrome, defective antibody response to (Lopez et al), 207
Bacteriura, coagulase negative staphylococcal (Khan et al) (Letter), 309
Barré-Guillain polyneuritis, predictors of incomplete recovery in (Eberle et al), 356
Beckwith syndrome, nesidioblastosis in (Dammacco et al) (Letter), 647
Benzoate, Na, effect of, on serum bilirubin of Gunn rat (Nathenson et al), 799
Bicarbonate wasting state: Distal renal tubular acidosis (Rodriguez-Soriano et al), 524
Biliary atresia, extrahepatic, and polysplenia syndrome (Dimmick et al) (Letter), 644
cirrhosis, focal: Relation to hepatic changes with cystic fibrosis (Oppenheimer and Esterly), 683
Bilirubin, albumin binding of, effects of gentamicin on (Wennberg and Rasmussen), 611; commentary (Odell et al), 614: commentary (MacCracken), 615
binding affinity of serum, increase in, with age of infant (Kapitulnik et al), 442
capacity of serum albumin, fluorescent dye method for determination of (Lee et al), 280
inhibitory effects of, on cellular immune responses (Rola-Pleszczynski et al), 690
serum, of Gunn rat, effect of Na benzoate on (Nathenson et al), 799
Blood—a walking donor program for an intensive care nursery (Blankenship et al), 583
cord, cells in DNA synthesis in (Prindull et al), 773
glucose and free fatty acids in hypoxemia (Gacs et al) (Letter), 990; (Harris) (Reply), 991
Bone age, linear growth, pubic hair, and testicular development, effect of oxandrolone on (Marti-Henneberg et al), 783
marrow transplantation, medical ethics of (Levine et al), 145
Book reviews, 472, 632
Bordetella bronchiseptica, meningitis due to (Chang et al) (Letter), 639
Bowel surgery and hepatitis followed by Fanconi syndrome (Chesney and Harrison), 857
Brachial plexus neuropathy (Shaywitz) (BCLO), 913
Brain tissue levels in a fatal case of neonatal mepivacaine (Carbocaine) poisoning (Dodson et al), 624
Breech presentation as an indicator of fetal abnormality (Braum et al) (BCLO), 419

C

Calcification of intervertebral discs (Swick), 364
Calcium gluconate in tissues, roentgen patterns of extravasation of (Lee and Gwinn), 598
metabolism in intrauterine growth retardation (Tsang et al), 936

Calorie-protein malnutrition in nitrogen metabolism (Hansen) (Letter), 649; (Nichols and Viteri E) (Reply), 650
Candida albicans infection, cervical lymphadenitis due to (Khoo et al) (Letter), 812
Carbocaine poisoning, brain tissue levels in (Dodson et al), 624
Carboxylase, propionyl CoA, deficiency and hyperglycinemia without ketosis (Wadlington et al), 707
Carcinoma, medullary thyroid, and syndrome of multiple mucosal neuromas (Brown et al), 77
Cardiac anomaly, case with: Cerebro-costo-mandibular syndrome (Kuhn et al) (BCLO), 243
catheterization, operative repair of atrial septal defect without (Neal et al), 189
preoperative, and angiocardiogram (Rowe) (Editor's column), 319
massage, external, methods of, in newborn infant (Todres and Rogers), 781
murmur with hepatic ductular hypoplasia and other anomalies (Alagille et al), 63
Cardiovascular malformations associated with imperforate anus (Greenwood et al) (BCLO), 576
Cataract, congenital, and mitochondrial myopathy associated with lactic acidosis (Sengers et al), 873
Catecholamine, free, excretion in urine in normal infants and in marasmus or kwashiorkor (Graham and Placko), 965
Catheter, peritoneal dialysis, for small infants (Anand et al) (Letter), 985
Catheterization, cardiac, operative repair of atrial septal defect without (Neal et al), 189
preoperative cardiac, and angiocardiogram (Rowe) (Editor's column), 319
umbilical-arterial (Emans) (Letter), 641; (Nelson) (Letter), 641; (Chambers) (Letter), 642; (Modanlou) (Reply), 642; (Hon) (Reply), 643; (Behrman) (Editorial reply), 643
vein, risk of infection associated with (Anagnostakis et al), 759
Cell(s), amniotic fluid, and cultivated human skin fibroblasts, cerebroside sulfatase activity in (Booth et al), 560
congenital pure red, aplasaia with lack of erythropoietic inhibitory effect of serum (Geller et al), 198
in DNA synthesis in cord blood (Prindull et al), 773
-mediated immune responses, immunologic role of tonsillar tissues in (Hurtado et al) (BCLO), 405
sickle, anemia and lead poisoning, neuropathy with (Athreya and Oski) (Letter), 315
surfaces, genetics, and congenital malformations (Pious) (Editor's column), 162
Cellular defense mechanisms, impaired, in iron-deficient children (Macdougall et al), 833
immune responses, inhibitory effects of bilirubin on (Rola-Pleszczynski et al), 690
Cellulitis: Expected presentation with unexpected etiology (Adler) (Letter), 477
Cephalothin, warning about using with central nervous system infections (Crosson) (Letter), 316; (McCracken and Eichenwald) (Reply), 316
Cerebral abscesses, multiple, complicating hepatopulmonary amebiasis (Hughes et al) (BCLO), 95
Cerebro-costo-mandibular syndrome: A case with cardiac anomaly (Kuhn et al) (BCLO), 243
hepato-renal syndrome of Zellweger (Danks et al), 382
Cerebroside sulfatase activity in cultivated human skin fibroblasts and amniotic fluid cells (Booth et al), 560
Cerebrospinal fluid, cytologic analysis of (Castleberry et al) (Letter), 989; (Aronson et al) (Reply), 990
eosinophilic pleocytosis with acute infantile hemiplegia: Visceral larva migrans (Anderson et al) (BCLO), 247
Cervical lymphadenitis due to *Candida albicans* infection (Khoo et al) (Letter), 812
Cholestasis in immature newborn infants: Is parenteral alimentation responsible? (Rager and Finegold), 264
Chorionic gonadotropin-secreting tumor, intracranial human, with precocious puberty (Romshe and Sotos) (BCLO), 250
Chromosomal translocation, B-C, bilateral neonatal Wilms' tumor with (Giangiacomo et al) (BCLO), 98
Chromosome 11, partial deletion of long arm of, anomalies associated with (Linarelli et al) (BCLO), 750
Chylothorax, congenital, conservative therapy in (Martin) (Letter), 821
Cirrhosis associated with alpha-1-antitrypsin deficiency (Asarian et al), 844
focal biliary: Relation to hepatic changes with cystic fibrosis (Oppenheimer and Esterly), 683
Cleft lip with or without cleft palate and twinning (Armendares and Lisker) (Letter), 479
Coarctation of aorta and scoliosis (Poitras et al) (Letter), 476
Coffin-Lowry syndrome: Inherited faciodigital mental retardation syndrome (Temtamy et al), 724
Colon, inflammatory disease of: Ulcerative and Crohn's colitis (Ament), 322
Colitis, ulcerative and Crohn's: Inflammatory disease of colon (Ament), 322
Coma, isomolar, during parenteral alimentation with protein hydrolysate (Touloukian), 270
Congenital adrenal hyperplasia, elevated amniotic fluid concentration of 17 α-hydroxyprogesterone in (Frasier et al) (Letter), 310
cataract and mitochondrial myopathy of skeletal and heart muscle associated with lactic acidosis after exercise (Sengers et al), 873
chylothorax, conservative therapy in (Martin) (Letter), 821
dysplasia of the hip, treatment positions for (Ogden), 732
goiter, thyroid function with (Homoki et al), 753
heart disease in Goldenhar syndrome (Comas and González) (Letter), 989
hereditary adrenal hypoplasia, luteinizing hormone deficiency in (Prader et al) (BCLO), 421
malformations associated with administration of oral anticoagulants during pregnancy (Pettifor and Benson), 459
cell surfaces, and genetics (Pious) (Editor's column), 162
pure red cell aplasia with lack of erythropoietic inhibitory effect of serum (Geller et al), 198
virilizing adrenal hyperplasia, gynecomastia with (Maclaren et al) (BCLO), 579
Copper infusion therapy in trichopoliodystrophy (Grover and Scrutton), 216
Coronary aneurysms with acute febrile mucocutaneous lymph node syndrome (Kato et al), 892
heart disease risk factors in school children: Muscatine study (Lauer et al), 697
Costo-cerebro-mandibular syndrome: Cardiac anomaly (Kuhn et al) (BCLO), 243

Counterimmunoelectrophoresis in *Hemophilus influenzae* Type b epiglottitis and pericarditis (Smith and Ingram) (BCLO), 571
Coxsackie A9 viral infection associated with hemiplegia (Roden et al), 56
B virus infection and benign neonatal arrhythmias (Nathenson et al) (Letter), 152
CPAP head box, severe neck ulceration from (Krauss and Marshall), 286
significance of the paired and unpaired t test in evaluating (Belenky) (Letter), 481; (Ackerman) (Reply), 481
Cranial, intra-, human chorionic gonadotropin-secreting tumor with precocious puberty (Romshe and Sotos) (BCLO), 250
Craniosynostosis, premature—complication of thyroid replacement therapy (Penfold and Simpson), 360
Creatine phosphokinase levels, serum, in evaluation of association of malignant hyperpyrexia with Noonan syndrome (Hunter and Pinsky), 412
Crohn's and ulcerative colitis: Inflammatory disease of colon (Ament), 322
Cromolyn sodium, nasal congestion as side effect of (Rao et al) (Letter), 804
Cystic fibrosis and absorption of digoxin (Moss et al), 295
hepatic changes with: Relation to focal biliary cirrhosis (Oppenheimer and Esterly), 683
plasma membrane components of skin fibroblasts (Baig et al), 72
vocal cord paralysis in (Scanlin et al) (Letter), 984
Cytologic analysis of cerebrospinal fluid (Castleberry et al) (Letter), 989; (Aronson et al) (Reply), 990
Cushing's syndrome, short stature as clinical sign of (Lee et al) (BCLO), 89

D

Deafness, nerve, lactic acidemia, and growth failure associated with metabolic myopathy (Monnens et al) (Letter), 983
progressive, and dementia (Norman et al), 805
Deaminase deficiency, adenosine, combined immunodeficiency disease associated with (Meuwissen et al), 169
Deficiency, adenosine deaminase, associated with combined immunodeficiency disease (Meuwissen et al), 169
alpha-1-antitrypsin, associated with childhood cirrhosis (Asarian et al), 844
anemia, iron, and urinary norepinephrine excretion (Voorhess et al), 542
differentiated from alpha thalassemia trait by means of micromeasurement of free erythrocyte protoporphyrin (Koenig et al), 539
Evaluation of compensatory changes (Lovric et al), 194
Infection susceptibility and host defense (Buckley) (Editor's column), 993
plasma, erythrocyte, and leukocyte ascorbic acid concentrations in (Bingöl et al) (BCLO), 902
β-glucuronidase, variation in phenotypic expression of (Beaudet et al), 388
Clq, with systemic lupus erythematosus–like syndrome (Wara et al) (BCLO), 743
erythrocyte G-6-PD, and maternal ingestion of fava beans and ascorbic acid associated with hydrops fetalis (Mentzer and Collier) (BCLO), 565
Deficiency—Cont'd
glactokinase, presenting as pseudotumor cerebri (Litman et al) (BCLO), 410
growth hormone, and Fanconi anemia (Clarke and Weldon) (Letter), 814
iron, associated with impaired immunocompetence (Chandra and Saraya) (BCLO), 899
luteinizing hormone, in hereditary congenital adrenal hypoplasia (Prader et al) (BCLO), 421
propionyl CoA carboxylase, and hyperglycinemia without ketosis (Wadlington et al), 707
reversible immunologic, constrictive pericarditis, and intestinal lymphangiectasia (Nelson et al), 548
Dementia and progressive deafness (Norman et al), 805
Developing countries, an emergency for children in (Bain) (Editor's column), 996
Development, retarded, associated with hepatic ductular hypoplasia (Alagille et al), 63
Dextrocardia associated with Poland's syndrome (Hanka and Fox) (Letter), 312
Diabetes mellitus, juvenile—is mumps virus an etiologic factor? (Sultz et al) (Editor's column), 654
transient neonatal—therapeutic use for glucagon (Rudolph and Minsky) (Letter), 475
Diabetic mothers, parathyroid function in infants of (Tsang et al), 399
Dialysis catheter, peritoneal, for small infants (Anand et al) (Letter), 985
Diarrhea, severe intractable, use of oral elemental diet in infants with (Sherman et al), 518
Diazepam intoxication, accidental, use of physostigmine as antidote in (Di Liberti et al) (BCLO), 106
Diet, use of oral elemental, in infants with severe intractable diarrhea (Sherman et al), 518
Digestibility of starches (De Vizia et al), 50
Digitial-facial-genital, Aarskog, syndrome (Berman et al), 885
Digoxin, absorption of, with cystic fibrosis (Moss et al), 295
Dilatation, striking aortic root, in Larsen syndrome (Swensson et al) (BCLO), 914
Dipyridamole and aspirin to treat hemolytic-uremic syndrome (Arenson and August), 957
Discharge summary, functional hospital (Swender et al) (BCLO), 97
Discs, intervertebral, calcification of (Swick), 364
Disease, anti-Kell isoimmune, fatal erythroblastosis due to (Miser et al) (BCLO), 567
combined immunodeficiency, associated with adenosine deaminase deficiency (Meuwissen et al), 169
congenital heart, in Goldenhar syndrome (Comas and González) (Letter), 989
coronary heart, risk factors: Muscatine study (Lauer et al), 697
graft-versus-host, with thymic aplasia (Chen et al) (BCLO), 904
granulomatous, agents responsible for infection in (Lazarus and Neu) (BCLO), 415
inflammatory, of colon: Ulcerative colitis and Crohn's colitis (Ament), 322
occult neuromuscular, with scoliosis (Rothner et al) (BCLO), 748
pigeon breeders,' family study of (Purtilo et al) (BCLO), 569

Disease—Cont'd
pulmonary, and patent ductus arteriosus—echocardiographic assessment (Baylen et al), 423
rheumatic heart, myocardial infarction complicating bacterial endocarditis in (Sulayman et al), 59
severe rhesus hemolytic, phototherapy in (Moller and Ebbesen), 135
Wilson, acute hemolytic anemia as manifestation of (Buchanan) (BCLO), 245
Diuretic therapy and renal function (Loggie et al), Part I, 485; Part II, 657; Part III, 825
DNA polymerase activity in rat placentas (Velasco and Brasel), 274
synthesis in cord blood, cells in (Prindull et al), 773
Down syndrome, defective antibody response to bacteriophage ØX 174 in (Lopez et al), 207
pulmonary vascular bed with (Chi and Krovetz), 533
Drug abuse— "End of an epidemic?" (Litt and Cohen), 293
antiviral, for the neonate (Brunell) (Editor's column), 317
stimulant, growth rebound after termination of (Safer et al), 113
Ductus arteriosus, patent, and pulmonary disease—echocardiographic assessment (Baylen et al), 423
complicating RDS in preterm infants (Thibeault et al), 120; (Neal et al), 127; (Lees), 132
Dwarfism and growth hormone deficiency in mentally retarded children (Frasier) (Letter), 155; (Castells) (Reply), 156
Dysplasia, congenital, of hip, treatment positions for (Ogden), 732

E

E. coli 0142, gastroenteritis due to (Boyer et al), 919
Echocardiographic assessment in critically ill premature infant with patent ductus arteriosus and pulmonary disease (Baylen et al), 423
Echographic interpretation of pericardial effusion (Hagler) (Letter), 645; (Takahashi et al) (Reply), 646
Electrophoretic definition of parasite enzymes in host tissues (Zee and Zinkham) (BCLO), 408
Electrophysiologic data in footdrop (Crumrine et al), 779
Elfin facies syndrome, Williams (Jones and Smith), 718
Endocarditis, bacterial, in rheumatic heart disease complicated by myocardial infarction (Sulayman et al), 59
Endotracheal intubation, complication of: Tracheal perforation (Serlin and Daily), 596
Enterocolitis, necrotizing (Frantz et al), 259
Enzymes, parasite, electrophoretic definition in host tissues (Zee and Zinkham) (BCLO), 408
Eosinophilic pleocytosis, cerebrospinal fluid, with acute infantile heiplegia: Visceral larva migrans (Anderson et al) (BCLO), 247
Epidemiology of gram-negative nosocomial infections, role of hand contamination of personnel in (Knittle et al), 433
Epiglottitis and pericarditis, *Hemophilus influenzae* Type b, counterimmunoelectrophoresis in (Smith and Ingram) (BCLO), 571
Epiphyseal ossification and fontanel size in neonatal twins discordant by weight (Philip) (BCLO), 417
Erythroblastosis fetalis, fatal, due to anti-Kell isoimmune disease (Miser et al) (BCLO), 567
Erythrocyte G-6-PD deficiency and maternal ingestion of fava beans and ascorbic acid associated with hydrops fetalis (Mentzer and Collier) (BCLO), 565
plasma, and leukocyte ascorbic acid concentrations in iron deficiency anemia (Bingöl et al) (BCLO), 902
protoporphyrin, free, micromeasurement of, as means of differentiating alpha thalassemia trait from iron deficiency anemia (Koenig et al), 539
sedimentation rate in newborn period (Adler and Denton), 942
Erythropoietic inhibitory effect, lack of, of serum from patients with congenital pure red cell aplasia (Geller et al), 198
Erythropoietin excretion in the premature infant (McIntosh), 202
Esophageal stenosis (Keating et al) (BCLO), 111
Ethanol, effect of, on lactate: Studies in Type I glycogenosis (Sadeghi-Nejad et al), 37
Ethics, medical, of bone marrow transplantation (Levine et al), 145
Exercise, cataract and myopathy associated with lactic acidosis after (Sengers et al), 873

F

Facial-digital-genital, Aarskog, syndrome (Berman et al), 885
Facies, characteristic, associated with hepatic ductular hypoplasia (Alagille et al), 63
syndrome—femoral hypoplasia (Daentl et al) (BCLO), 107
syndrome, Williams elfin (Jones and Smith), 718
Faciodigital mental retardation syndrome: Coffin-Lowry syndrome (Temtamy et al), 724
Familial disorder, new—intermittent hyperphosphatemia, polyuria, and seizures (Miller et al)(BCLO), 233
occurrence of nonobstructive, noninfectious vesicoureteral reflux with renal scarring (Lewy and Belman), 851
Family study of pigeon breeders' disease (Purtilo et al) (BCLO), 569
Fanconi anemia and growth hormone deficiency (Clarke and Weldon) (Letter), 814
syndrome following bowel surgery and hepatitis reversed by 25-hydroxycholecalciferol (Chesney and Harrison), 857
Fat atrophy, insulin-induced—insulin in treatment of (Ferland and Ehrlich) (BCLO), 741
Fatty acids, free, and blood glucose in hypoxemia (Gacs et al) (Letter), 990; (Harris) (Reply), 991
Feeding and plasma NEFA levels (Anagnostakis) (Letter), 991; (Harris) (Reply), 992
nasojejunal (Kuzemko) (Letter), 651
Fetal abnormality, breech presentation as indicator of (Braum et al) (BCLO), 419
phallic growth and penile standards for boys (Feldman and Smith), 395
Fetus, effect of propranolol administration during pregnancy (Gladstone et al), 962
hyperplasia of thyroid in (Job) (Letter), 645; (Refetoff) (Reply), 645
Fibroblasts, cultivated human skin, and amniotic fluid cells, cerebroside sulfatase activity in (Booth et al), 560

Fibroblasts—Cont'd

skin, with cystic fibrosis, plasma membrane components of (Baig et al), 72
Fibrosis, cystic, and absorption of digoxin (Moss et al), 295
hepatic changes with: Relation to focal biliary cirrhosis (Oppenheimer and Esterly), 683
plasma membrane components of skin fibroblasts (Baig et al), 72
vocal cord paralysis in (Scanlin et al) (Letter), 984
Fistula, pulmonary arteriovenous, and patent ductus arteriosus (Crosby et al) (Letter), 986
Fluorescent dye method for determination of bilirubin-binding capacity of serum albumin (Lee et al), 280
Fluoride, inadequate source in fluoridated water supplies (Schwab and Schwartz) (BCLO), 735
Follicularis, keratosis, as confusing term (Esterly) (Letter), 479; (Cantu) (Reply), 480
Fontanel size and epiphyseal ossification in neonatal twins discordant by weight (Philip) (BCLO), 417
Footdrop with neurologic and electrophysiologic data (Crumrine et al), 779

G

G-6-PD deficiency, erythrocyte, and maternal ingestion of fava beans and ascorbic acid associated with hydrops fetalis (Mentzer and Collier) (BCLO), 565
Galactokinase deficiency presenting as pseudotumor cerebri (Litman et al) (BCLO), 410
Gastroenteritis due to *E. coli 0142* (Boyer et al), 919
Gene mutation and older parental age (Jones et al), 84
fresh, in "older men," risk of (Mellman) (Editor's column), 162
Genetics, cell surfaces, and congenital malformations (Pious) (Editor's column), 162
Genital-facial-digitial, Aarskog, syndrome (Berman et al), 885
Gentamicin, effects of, on albumin binding of bilirubin (Wennberg and Rasmussen), 611; commentary (Odell et al), 614; commentary (Macracken), 615
Glomerulonephritis, mesangiocapillary: Changes in glomerular morphology with prednisone therapy (McAdams et al), 23
Glucagon infusion test and growth hormone secretion (AvRuskin et al) (BCLO), 102
possible therapeutic use for in transient neonatal diabetes (Rudolph and Minsky) (Letter), 475
Glucocorticoid treatment, effects of: Experimental meconium aspiration (Frantz et al), 438
Gluconate, calcium, in tissues, roentgen patterns of extravasation of (Lee and Gwinn), 598
Glucose, blood, and free fatty acids in hypoxemia (Gacs et al) (Letter), 990; (Harris) (Reply), 991
β-Glucuronidase deficiency, phenotypic expression of (Beaudet et al), 388
Glutamyl transpepidase, serum gamma, and liver, aminopyrine as modifier of (Bartels et al), 298
Glycerol intolerance with intermittent hypoglycemia (Maclaren et al), 43
Glycogenosis, Type I, studies in: Effect of ethanol on lactate (Sadeghi-Nejad et al), 37
Goiter and ichthyosis (Fermaglich) (Letter), 637
congenital, thyroid function with (Homoki et al), 753
incidence of, in elementary school population (Peden et al) (Letter), 816
Goldenhar syndrome, congenital heart disease in (Comas and González) (Letter), 989
Gonadotropin-secreting tumor, intracranial human chorionic, with precocious puberty (Romshe and Sotos) (BCLO), 250
Gonorrhea, commentary (Litt), 798
Recommended treatment schedules—1974, 794
Graft-versus-host disease, thymic aplasia with, (Chen et al) (BCLO), 904
Granulocytic leukemia, chronic, in vitro colony-forming characteristics of (Altman and Baehner), 221
Granulocytopenia and hemolytic anemia as complications of propylthiouracil therapy (Breese and Solomon), 117
Granulomatous disease, agents responsible for infection in (Lazarus and Neu) (BCLO), 415
Growth failure, lactic acidemia, and nerve deafness associated with metabolic myopathy (Monnens et al) (Letter), 983
fetal phallic, and penile standards for boys (Feldman and Smith), 395
hormone deficiency and dwarfism in mentally retarded children (Frasier) (Letter), 155; (Castells) (Reply), 156
Fanconi anemia (Clarke and Weldon) (Letter), 814
secretion and glucagon infusion test (AvRuskin et al) (BCLO), 102
intrauterine, of LBW infants, relationship to later growth (Beck and van den Berg), 504
linear, bone age, pubic hair, and testicular development, effect of oxandrolone on (Marti-Henneberg et al), 783
rebound after termination of stimulant drugs (Safer et al), 113
retardation, intrauterine, calcium metabolism in (Tsang et al), 936
Guillain-Barré polyneuritis, predictors of incomplete recovery in (Eberle et al), 356
Gynecomastia, pubertal, relationship to serum hormones (Lee), 212
with congenital virilizing adrenal hyperplasia (11-β-hydroxylase deficiency) (Maclaren et al) (BCLO), 579

H

Heart and skeletal muscle, mitochondrial myopathy of, associated with lactic acidosis (Sengers et al), 873
disease, congenital, in Goldenhar syndrome (Comas and Gonzalez) (Letter), 989
coronary, risk factors: Muscatine study (Lauer et al), 697
rheumatic, with bacterial endocarditis complicated by myocardial infarction (Sulayman et al), 59
Height: Survey of 15 years of management and treatment of tall girls (Wettenhall et al), 602
Hemiplegia, acute infantile, with cerebrospinal fluid eosinophilic pleocytosis: An unusual case of visceral larva migrans (Anderson et al) (BCLO), 247
associated with Coxsackie A9 viral infection (Roden et al), 56

Hemodialysis unit, pediatric, hepatitis B in (Fine et al), 349
Hemoglobinopathies, sickle, in association with priapism (Kinney et al) (BCLO), 241
Hemolytic anemia, acute, as manifestation of Wilson disease (Buchanan) (BCLO), 245
and granulocytopenia as complications of propylthiouracil therapy (Breese and Solomon), 117
disease, severe rhesus, phototherapy in (Moller and Ebbesen), 135
-uremic syndrome treated with aspirin and dipyridamole (Arenson and August), 957
treatment of (Berberich) (Letter), 158; (Ekert) (Reply), 158
Hemophilus influenzae Type b epiglottitis and pericarditis, counterimmunoelectrophoresis in (Smith and Ingram) (BCLO), 571
susceptibility to 17 antibiotics (Emerson et al), 617
Hemorrhage, massive pulmonary (Keenan and Altshuler), 466
Hepatic changes with cystic fibrosis: Relation to focal biliary cirrhosis (Oppenheimer and Esterly), 683
ductular hypoplasia associated with characteristic facies, vertebral malformations, retarded development, and cardiac murmur (Alagille et al), 63
extra-, biliary atresia and polysplenia syndrome (Dimmick et al) (Letter), 644
Hepatitis and bowel surgery followed by Fanconi syndrome (Chesney and Harrison), 857
-associated aplastic anemia, in acquired immunodeficiency (Strauss et al) (BCLO), 910
B in a pediatric hemodialysis unit (Fine et al), 349
Hepato-cerebro-renal syndrome of Zellweger (Danks et al), 382
Hepatopulmonary amebiasis complicated by multiple cerebral abscesses (Hughes et al) (BCLO), 95
Hepatotoxicity of rifampicin and isoniazid (Casteels-Van Daele et al) (BCLO), 739
Hereditary congenital adrenal hypoplasia, luteinizing hormone deficiency in (Prader et al) (BCLO), 421
Herpes, neonatal, intrathecal administration of interferon in (De Clercq et al) (BCLO), 736
Heterozygote detection, diagnosis through: Classic phenylketonuria (Griffin and Elsas), 512
Hip, congenital dysplasia of, treatment positions for (Ogden), 732
Histidinemia with features of Marfan syndrome (Stevens et al) (BCLO), 907
Histiocytosis, sinus (Pickering and Phelan) (BCLO), 745
Histoplasmosis, severe, treated with amphotericin B (Fosson and Wheeler), 32
Hormone, growth, deficiency and dwarfism in mentally retarded children (Frasier) (Letter), 155; (Castells) (Reply), 156
Fanconi anemia (Clarke and Weldon) (Letter), 814
secretion and glucagon infusion test (AvRuskin et al) (BCLO), 102
luteinizing, deficiency in hereditary congenital adrenal hypoplasia (Prader et al) (BCLO), 421
serum, relationship to pubertal gynecomastia (Lee), 212
Host defense and infection susceptibility in iron deficiency anemia (Buckley) (Editor's column), 993
Humoral components, altered, in iron-deficient children (Macdougall et al), 833
Hydrocele following placement of a ventriculoperitoneal shunt (Scherzer) (Letter), 811
Hydrolysate, protein, isomolar coma during parenteral alimentation with (Touloukian), 270
Hydrops fetalis associated with erythrocyte G-6-PD deficiency and maternal ingestion of fava beans and ascorbic acid (Mentzer and Collier) (BCLO), 565
Hydroxycholecalciferol, 25-, reversal of Fanconi syndrome by (Chesney and Harrison), 857
Hydroxyprogesterone, 17-α-, in congenital adrenal hyperplasia, elevated amniotic fluid concentration of (Frasier et al) (Letter), 310
Hyperglycinemia and propionyl CoA carboxylase deficiency and episodic severe illness without consistent ketosis (Wadlington et al), 707
Hyperphosphatemia, intermittent, polyuria, and seizures—familial disorder (Miller et al) (BCLO), 233
Hyperplasia, congenital adrenal, elevated amniotic fluid concentration of 17-α-hydroxyprogesterone in (Frasier et al) (Letter), 310
virilizing adrenal, gynecomastia with (Maclaren et al) (BCLO), 579
of the thyroid in the fetus (Job) (Letter), 645; (Refetoff) (Reply), 645
Hyperpyrexia, malignant, evaluation of association with Noonan syndrome (Hunter and Pinsky) (BCLO), 412
Hypertension after renal transplantation (Malekzadeh et al), 370
refractory, minoxidil in (Makker), 621
Hypoglycemia, intermittent, with glycerol intolerance (Maclaren et al), 43
Hypoplasia, cartilage-hair, combined immunodeficiency and vaccine-related poliomyelitis in a child with (Saulsbury et al), 868
femoral—unusual facies syndrome (Daentl et al) (BCLO), 107
hepatic ductular, associated with characteristic facies, vertebral malformations, retarded development, and cardiac murmur (Alagille et al), 63
hereditary congenital adrenal, luteinizing hormone deficiency in (Prader et al) (BCLO), 421
Hypothalamus, origin of (Hanson and Smith) (Letter), 652; (Sadeghi-Nejad and Senior) (Reply), 652
Hypothyroidism, neonatal, detection of (Fisher) (Editor's column), 822
mass screening program for (Dussault et al), 670
Hypoxemia with blood glucose and free fatty acids (Gacs et al) (Letter), 990; (Harris) (Reply), 991

I

Ichthyosis and goiter (Fermaglich) (Letter), 637
Infarction, myocardial, complicating bacterial endocarditis in rheumatic heart disease (Sulayman et al), 59
Infection(s), *Candida albicans*, cervical lymphadenitis due to (Khoo et al) (Letter), 812
central nervous system, warning about using cephalothin with (Crosson) (Letter), 316; (McCracken and Eichenwald) (Reply), 316
Coxsackie A9 viral, associated with hemiplegia (Roden et al), 56

Infections, Coxsackie—Cont'd

B virus, and benign neonatal arrhythmias (Nathenson et al) (Letter), 152
gram-negative nosocomial, role of hand contamination of personnel in epidemiology of (Knittle et al), 433
group B beta-hemolytic streptococcus, causing impetigo neonatorum congenita (Belgaumkar) (Letter), 982
in chronic granulomatous disease (Lazarus and Neu) (BCLO), 415
measles, immunofluorescence in diagnosis of (Fulton and Middleton), 17
of umbilical artery stimulating patent urachus (Kenigsberg) (Letter), 151
rhinoviral, associated with supraventricular tachycardia (Spencer et al) (Letter) 811
risk of, associated with umbilical vein catheterization (Anagnostakis et al), 759
susceptibility and host defense in iron deficiency anemia (Buckley) (Editor's column), 993
urinary tract, first, in female infant (Randolph et al), 342
in infancy (Kunin) (Editor's column), 483
Infectious mononucleosis, pulmonary involvement in (Fermaglich) (BCLO), 93
Influenza-like illness with acute transient myositis (Mason and Keller) (Letter), 813
Infusion test, glucagon, and growth hormone secretion (AvRuskin et al) (BCLO), 102
Insulin, single-peak, in treatment of insulin-induced fat atrophy (Ferland and Ehrlich) (BCLO), 741
Interferon, intrathecal administration of, in neonatal herpes (De Clercq et al) (BCLO), 736
Intestinal lymphangiectasia, constrictive pericarditis, and reversible immunologic deficiency (Nelson et al), 548
Intrathecal administration of interferon in neonatal herpes (De Clercq et al) (BCLO), 736
Intubation, endotracheal, complication of: Tracheal perforation (Serlin and Daily), 596
Immune response(s), cellular, inhibitory effects of bilirubin on (Rola-Pleszczynski et al), 690
in iron-deficient children: Impaired cellular defense mechanisms with altered humoral components (Macdougall et al), 833
local cell-mediated, immunologic role of tonsillar tissues in (Hurtado et al) (BCLO), 405
Immunocompetence, impaired, associated with iron deficiency (Chandra and Saraya) (BCLO), 899
Immunodeficiency(ies), acquired, in hepatitis-associated aplastic anemia (Strauss et al) (BCLO), 910
combined, and transfer factor (Rola-Pleszczynski et al) (Letter), 818; (Strauss and Hake) (Reply), 819
vaccine-related poliomyelitis in a child with cartilage-hair hypoplasia (Saulsbury et al), 868
disease, combined, associated with adenosine deaminase deficiency (Meuwissen et al), 169
primary, classification of (Pieraert et al) (Letter), 988; (Lawlor and Stiehm) (Reply), 988
Immunofluorescence in diagnosis of measles infections in children (Fulton and Middleton), 17
Immunologic deficiency, reversible, constrictive pericarditis, and intestinal lymphangiectasia (Nelson et al), 548

Immunologic—Cont'd

role of tonsillar tissues in local cell-mediated immune responses (Hurtado et al) (BCLO), 405
Impetigo neonatorum congenita due to group B beta-hemolytic streptococcus infection (Belgaumkar) (Letter), 982
Iron deficiency anemia and increased urinary norepinephrine excretion (Voorhess et al), 542
Evaluation of compensatory changes, (Lovric et al), 194
differentiated from alpha thalassemia trait by means of micromeasurement of free erythrocyte protoporphyrin (Koenig et al), 539
Its relationship to infection susceptibility and host defense (Buckley) (Editor's column), 993
plasma, erythrocyte, and leukocyte ascorbic acid concentrations in (Bingöl et al) (BCLO), 902
associated with impaired immunocompetence (Chandra and Saraya) (BCLO), 899
-deficient children, immune response in: Impaired cellular defense mechanisms with altered humoral components (Macdougall et al), 833
intake and transferrin saturation in adolescents (Daniel et al), 288
Isoimmune disease, anti-Kell, fatal erythroblastosis due to (Miser et al) (BCLO), 567
Isomolar coma during parenteral alimentation with protein hydrolysate in excess of 4 gm/kg/day (Touloukian), 270
Isoniazid and rifampicin, hepatotoxicity of (Casteels-Van Daele et al) (BCLO), 739

J

Jejunal, naso- (transpyloric) feeding (Rhea et al), 451

K

Kanamycin usage in neonates, reappraisal of (Howard and McCracken), 949
Kell, anti-, isoimmune disease, fatal erythroblastosis due to (Miser et al) (BCLO), 567
Keratosis follicularis as confusing term (Esterly) (Letter), 479; (Cantu) (Reply) 480
Ketosis, hyperglycinemia and propionyl CoA carboxylase deficiency without (Wadlington et al), 707
Kwashiorkor, adrenal function in (Beitins et al), 302
or marasmus, free catecholamine excretion in urine in normal infants and in (Graham and Placko), 965

L

LaBrosse VMA spot test revisited (Ong and Dupont) (BCLO), 238; comment (Evans) (BCLO), 240
Lactate, effect of ethanol on: Studies in Type I glycogenosis (Sadeghi-Nejad et al), 37
Lactic acidemia, growth failure, and nerve deafness associated with metabolic myopathy (Monnens et al) (Letter), 983
acidosis after exercise associated with cataract and myopathy (Sengers et al), 873
Larsen syndrome with striking aortic root dilatation (Swensson et al) (BCLO), 914

Larva migrans, visceral: Acute infantile hemiplegia with cerebrospinal fluid eosinophilic pleocytosis (Anderson et al) (BCLO), 247
Lead poisoning and sickle cell anemia, neuropathy with (Athreya and Oski) (Letter), 315
severe (Sitarz) (Letter), 810
Leukemia, acute, absence of pectoralis major muscle in association with (Lanzkowsky) (Letter), 817
lymphoblastic, anti-Pseudomonas heat-stable opsonins in (Wollman et al), 376
chronic granulocytic, in vitro colony-forming characteristics of (Altman and Baehner), 221
Leukocyte count differences in healthy white and black children 1 to 5 years of age (Caramihai et al) (BCLO), 252
plasma, and erythrocyte ascorbic acid concentrations in iron deficiency anemia (Bingöl et al) (BCLO), 902
Leukodystrophy, metachromatic, and residual arylsulfatase activity (Shapira and Nadler), 881
Lip, cleft, with or without cleft palate and twinning (Armendares and Lisker) (Letter), 479
Lipid, plasma, values and lipoprotein patterns during adolescence in boys (Court and Dunlop), 453
Liver and serum gamma glutamyl transpepidase, aminopyrine as modifier of (Bartels et al), 298
functions, expected values for ultramicro samples of (Platt et al) (Letter), 153
Low-birth-weight infants, plasma amino acid patterns during supplemental intravenous nutrition of (Abitbol et al), 766
relationship of intrauterine growth to later growth (Beck and van den Berg), 504
Lowry-Coffin syndrome: Inherited faciodigital mental retardation syndrome (Temtamy et al), 724
Lupus erythematosus-like syndrome, systemic, with Clq deficiency (Wara et al) (BCLO), 743
Luteinizing hormone deficiency in hereditary congenital adrenal hypoplasia (Prader et al) (BCLO), 421
Lymph node syndrome, febrile mucocutaneous, with coronary aneurysms (Kato et al), 892
Lymphadenitis, cervical, due to *Candida albicans* infection (Khoo et al) (Letter), 812
Lymphangiectasia, intestinal, constrictive pericarditis, and reversible immunologic deficiency (Nelson et al), 548
Lymphoblastic leukemia, acute, anti-Pseudomonas heat-stable opsonins in (Wollman et al), 376
Lymphocytic thyroiditis, chronic, occurrence and natural history of (Rallison et al), 675

M

Malarial chemoprophylaxis for pregnant women (Jelliffe) (Letter), 820
Malformations, cardiovascular, associated with imperforate anus (Greenwood et al) (BCLO), 576
congenital, associated with administration of oral anticoagulants during pregnancy (Pettifor and Benson), 459
cell surfaces, and genetics (Pious) (Editor's column), 162
vertebral, associated with hepatic ductular hypoplasia (Alagille et al), 63
Malignant hyperpyrexia, evaluation of association with Noonan syndrome (Hunter and Pinsky) (BCLO), 412
tumors, incidence of, in U.S. children (Young and Miller) (BCLO), 254
Malnutrition, protein-calorie, in nitrogen metabolism (Hansen) (Letter), 649; (Nichols and Viteri E) (Reply), 650
Mandibular-cerebro-costo syndrome: Cardiac anomaly (Kuhn et al) (BCLO), 243
Mannosidosis, clinical features of (Autio) (Letter), 314; (Matalon et al) (Reply), 314
Marasmus, adrenal function in (Beitins et al), 302
or kwashiorkor, free catecholamine excretion in urine in normal infants and in infants with (Graham and Placko), 965
Marfan and Wolff-Parkinson-White syndromes, coincidence of (Rowland and Mace) (Letter), 482; (Chen and Fagan) (Reply), 482
syndrome with features of histidinemia (Stevens et al) (BCLO), 907
Marrow, bone, transplantation, medical ethics of (Levine et al), 145
Marshall syndrome: Eulogy or resurrection? (Zellweger) (Letter), 817
Massage, external cardiac, methods of in newborn infant (Todres and Rogers), 781
Measles infections, immunofluorescence in diagnosis of (Fulton and Middleton), 17
Mebendazole, treatment of trichuriasis with (Maqbool et al), 463
Meconium aspiration, experimental: Effects of glucocorticoid treatment (Frantz et al), 438
Membrane components, plasma, of skin fibroblasts with cystic fibrosis (Baig et al), 72
Meningitis and pneumoccal septicemia (Rhodes et al), 593
Pasteurella multocida, with recovery (Repice and Neter) (BCLO), 91
posttraumatic purulent, due to *Bordetella bronchiseptica* (Chang et al) (Letter), 639
Meningoencephalitis, primary amebic, amplification of (Marino) (Letter), 160; (Sotelo-Avila) (Reply), 161
Mental and physical status of survivors of RDS (Fisch et al), 497
Mepivacaine poisoning, brain tissue levels in (Dodson et al), 624
Mesangiocapillary glomerulonephritis: Changes in glomerular morphology with prednisone therapy (McAdams et al), 23
Metabolic myopathy associated with lactic acidemia, growth failure, and nerve deafness (Monnens et al) (Letter), 983
Metabolism, calcium, in intrauterine growth retardation (Tsang et al), 936
mucopolysaccharide, and Winchester syndrome (Stumpf) (Letter), 646; (Hollister and Rimoin) (Reply), 647
nitrogen, in protein-calorie malnutrition (Hansen) (Letter), 649; (Nichols and Viteri E) (Reply), 650
perinatal vitamin D (Hillman and Haddad), 928
Metachromatic leukodystrophy and residual arylsulfatase activity (Shapira and Nadler), 881
Minoxidil in refractory hypertension (Makker), 621

Mitochondrial myopathy and congenital cataract associated with lactic acidosis (Sengers et al), 873
Mononucleosis, infectious, pulmonary involvement in (Fermaglich) (BCLO), 93
Moraxella species, septic arthritis due to (Spahr) (Letter), 310
Mucopolysaccharide metabolism and Winchester syndrome (Stumpf) (Letter), 646; (Hollister and Rimoin) (Reply), 647
Mucopolysaccharidosis masqueraded as polysaccharidosis: Aspartylglucosaminuria (Isenberg and Sharp), 713
Mucosal neuromas, multiple, syndrome of, and medullary thyroid carcinoma (Brown et al), 77
Mumps virus—an etiologic factor in juvenile diabetes mellitus? (Sultz et al) (Editor's column), 654
Muscle, pectoralis major, absence of, in association with acute leukemia (Lanzkowsky) (Letter), 817
skeletal and heart, mitochondrial myopathy of, associated with lactic acidosis (Sengers et al), 873
Mutation, fresh gene, in "older men," risk of (Mellman) (Editor's column), 162
gene, and older parental age (Jones et al), 84
Myocardial infarction complicating bacterial endocarditis in rheumatic heart disease (Sulayman et al), 59
Myopathy, metabolic, associated with lactic acidemia, growth failure, and nerve deafness (Monnens et al) (Letter), 983
mitochondrial, and congenital cataract associated with lactic acidosis (Sengers et al), 873
Myositis, acute transient, with influenza-like illness (Mason and Keller) (Letter), 813

N

Nasal congestion as side of cromolyn sodium (Rao et al) (Letter), 804
Nasojejunal feeding (Kuzemko) (Letter), 651
(transpyloric) feeding (Rhea et al), 451
Neck ulceration, severe, from CPAP head box (Krauss and Marshall), 286
Necrotizing enterocolitis (Frantz et al), 259
Nervous system infections, central, warning about using cephalothin with (Crosson) (Letter), 316; (McCracken and Eichenwald) (Reply), 316
Nesidioblastosis in Beckwith syndrome (Dammacco et al) (Letter), 647
Neuroblastoma, spontaneous regression in (Hutter et al) (Letter), 820; (Schwartz and Lee) (Reply), 820
Neurologic data in footdrop (Crumrine et al), 779
Neuromas, multiple mucosal, syndrome of, and medullary thyroid carcinoma (Brown et al), 77
Neuromuscular disease, occult, with scoliosis (Rothner et al) (BCLO), 748
Neuropathy, brachial plexus (Shaywitz) (BCLO), 913
with lead poisoning and sickle cell anemia (Athreya and Oski) (Letter), 315
Nitrogen metabolism in protein-calorie malnutrition (Hansen) (Letter), 649; (Nichols and Viteri E) (Reply), 650
Noonan syndrome, evaluation of association with malignant hyperpyrexia (Hunter and Pinsky) (BCLO), 412
Norepinephrine excretion, urinary, and iron deficiency anemia (Voorhess et al), 542
Nosocomial infections, gram-negative, role of hand contamination of personnel in epidemiology of (Knittle et al), 433
Nurse practitioner, pediatric, in a neonatal unit (Ostrea and Schuman), 628
Nutrition, intravenous, of LBW infants, plasma amino acid patterns during (Abitbol et al), 766
total parenteral (Heird and Winters), 2

O

"Oligohydraminios syndrome" (Perlman) (Letter), 481
Opsonins, anti-Pseudomonas heat-stable, in acute lymphoblastic leukemia (Wollman et al), 376
Ossification, epiphyseal, and fontanel size in neonatal twins discordant by weight (Philip) (BCLO), 417
Oxandrolone treatment of constitutional short stature in adolescent boys: Effect on linear growth, bone age, pubic hair, and testicular development (Marti-Henneberg et al), 783

P

Palate, cleft, twinning and cleft lip with or without (Armendares and Lisker) (Letter), 479
Paralysis, vocal cord, in cystic fibrosis (Scanlin et al) (Letter), 984
Parasites in host tissues, demonstration, by electrophoretic definition of parasite enzymes (Zee and Zinkham) (BCLO), 408
Parathyroid function in infants of diabetic mothers (Tsang et al), 399
Parenteral alimentation: Responsible for cholestasis in immature newborn infants? (Rager and Finegold), 264
with protein hydrolysate, isomolar coma during (Touloukian), 270
Parkinson-Wolff-White and Marfan syndromes, coincidence of (Rowland and Mace) (Letter), 482; (Chen and Fagan) (Reply), 482
Pasteurella multocida meningitis with recovery (Repice and Neter) (BCLO), 91
Pathogenesis of deranged nitrogen metabolism in protein-calorie malnutrition (Hansen) (Letter), 649; (Nichols and Viteri E) (Reply), 650
Pectoralis major muscle, absence of, in association with acute leukemia (Lanzkowsky) (Letter), 817
Penile standards and fetal phallic growth for newborn boys (Feldman and Smith), 395
Pericardial effusion, echographic interpretation of (Hagler) (Letter), 645; (Takahashi et al) (Reply), 646
Pericarditis and epiglottitis, *Hemophilus influenzae* Type b, counterimmunoelectrophoresis in (Smith and Ingram) (BCLO), 571
constrictive, intestinal lymphangiectasia, and reversible immunologic deficiency (Nelson et al), 548
Peritoneal dialysis catheter for small infants (Anand et al) (Letter), 985
Pertussis syndrome, adenoviruses in (Nelson et al), 335
Phallic growth, fetal, and penile standards for newborn boys (Feldman and Smith), 395
Phenotypic expression of β-glucuronidase deficiency (Beaudet et al), 388

Phenylketonuria, classic: Diagnosis through heterozygote detection (Griffin and Elsas), 512
Phosphokinase, serum creatine, levels in evaluation of association of malignant hyperpyrexia with Noonan syndrome (Hunter and Pinsky) (BCLO), 412
Phototherapy, long-term effect of, on visual function (Dobson et al), 555
with severe rhesus hemolytic disease (Moller and Ebbesen), 135
Physical and mental status of survivors of RDS (Fisch et al), 497
Physostigmine, use of, as antidote in accidental diazepam intoxication (Di Liberti et al) (BCLO), 106
Placentas, rat, normal and malnourished, DNA polymease activity in (Velasco and Brasel), 274
Plasma amino acid patterns during intravenous nutrition of LBW infants (Abitbol et al), 766
erythrocyte, and leukocyte ascorbic acid concentrations in iron deficiency anemia (Bingöl et al) (BCLO), 902
lipid values and lipoprotein patterns during adolescence in boys (Court and Dunlop), 453
membrane components of skin fibroblasts with cystic fibrosis (Baig et al), 72
NEFA levels and feeding (Anagnostakis) (Letter), 991; (Harris) (Reply), 992
Pleocytosis, cerebrospinal fluid eosinophilic, with acute infantile hemiplegia: Visceral larva migrans (Anderson et al) (BCLO), 247
Pneumoccal septicemia and meningitis (Rhodes et al), 593
Poliomyelitis, vaccine-related, and combined immunodeficiency in a child with cartilage-hair hypoplasia (Saulsbury et al), 868
Polyhydramnios and neonatal renal failure—possible association with maternal acetaminophen ingestion (Char et al) (Letter), 638
Polymerase, DNA, activity in rat placentas (Velasco and Brasel), 274
Polyneuritis, Guillain-Barré, predictors of incomplete recovery in (Eberle et al), 356
Polysplenia syndrome and extrahepatic biliary atresia (Dimmick et al) (Letter), 644
Polyuria, intermittent hyperphosphatemia, and seizures—familial disorder (Miller et al) (BCLO), 233
Poisoning, lead, and sickle cell anemia, neuropathy with (Athreya and Oski) (Letter), 315
mepivacaine, brain tissue levels in (Dodson et al), 624
severe lead (Sitarz) (Letter), 810
Poland's syndrome, extrocardia associated with (Hanka and Fox) (Letter), 312
Prednisone therapy, changes in glomerular morphology with: Mesangiocapillary glomerulonephritis (McAdams et al), 23
Pregnancy, congenital malformations associated with administration of oral anticoagulants during (Pettifor and Benson), 459
propranolol administration during: Effects on fetus (Gladstone et al), 962
Premature infant, erythropoietin excretion in (McIntosh), 202
Prematurity, apnea of (Kattwinkel et al), 588
Priapism in association with sickle hemoglobinopathies (Kinney et al) (BCLO), 241
Propionyl CoA carboxylase deficiency and hyperglycinemia without ketosis (Wadlington et al), 707
Propranolol administration during pregnancy: Effects on fetus (Gladstone et al), 962
Propylthiouracil therapy, granulocytopenia and hemolytic anemia as complications of (Breese and Solomon), 117
Protein-calorie malnutrition in nitrogen metabolism (Hansen) (Letter), 649; (Nichols and Viteri E) (Reply), 650
hydrolysate, isomolar coma during parenteral alimentation with (Touloukian), 270
lipo-, patterns and plasma lipid values during adolescence in boys (Court and Dunlop), 453
Protoporphyrin, free erythrocyte, micromeasurement of, as means of differentiating alpha thalassemia trait from iron deficiency anemia (Koenig et al), 539
Pseudomonas, anti-, heat-stable opsonins in acute lymphoblastic leukemia (Wollman et al), 376
Pseudotumor cerebri, galactokinase deficiency presenting as (Litman et al) (BCLO), 410
Psychomotor retardation masquerading as mucopolysaccharidosis: Aspartylglucosaminuria (Isenberg and Sharp), 713
Pubertal gynecomastia, relationship to serum hormones (Lee), 212
Puberty, precocious, with intracranial human chorionic gonadotropin-secreting tumor (Romshe and Sotos) (BCLO), 250
Pulmonary arteriovenous fistula and patent ductus arteriosus (Crosby et al) (Letter), 986
disease and patent ductus arteriosus—echocardiographic assessment (Baylen et al), 423
function in asthmatic children, effect of theophylline on (Levy and Koysooko), 789
hemorrhage, massive (Keenan and Altshuler), 466
involvement in infectious mononucleosis (Fermaglich) (BCLO), 93
vascular bed in children with Down syndrome (Chi and Krovetz), 533
Purpura, neonatal, secondary to maternal salicylism (Haslam) (Letter), 653
Pyloric, trans- (nasojejunal) feeding (Rhea et al), 451

R

Reference standard (Cohen) (Editor's column), 167
Reflux, nonobstructive, noninfectious vesicoureteral, in renal scarring, familial occurrence of (Lewy and Belman), 851
vesicoureteral, and renal scarring (Girdany and Price) (Editor's column), 998
Renal-cerebro-hepato syndrome of Zellweger (Danks et al), 382
failure and polyhydramnios—association with maternal acetaminophen ingestion (Char et al) (Letter), 638
function and diuretic therapy (Loggie et al), Part I, 485; Part II, 657; Part III, 825
scarring and vesicoureteral reflux (Girdany and Price) (Editor's column), 998
familial occurrence of nonobstructive, noninfectious vesicoureteral reflux with (Lewy and Belman), 851
transplantation, hypertension after (Malekzadeh et al), 370

Renal—Cont'd

tubular acidosis, distal, in infancy: Bicarbonate wasting state (Rodriguez-Soriano et al), 524
vein renin, source of, questioned (Symons) (Letter), 648; (Levine) (Reply), 649
Renin, renal vein, source of questioned (Symons) (Letter), 648; (Levine) (Reply), 649
Respiratory distress syndrome complicated by patent ductus arteriosus in preterm infants (Thibeault et al), 120; (Neal et al), 127; (Lees), 132
mental and physical status of survivors of (Fisch et al), 497
Retardation, intrauterine growth, calcium metabolism in (Tsang et al), 936
psychomotor, masquerading as mucopolysaccharidosis: Aspartylglucosaminuria (Isenberg and Sharp), 713
syndrome, faciodigital mental: Coffin-Lowry syndrome (Temtamy et al), 724
Retarded, mentally, children, growth hormone deficiency and dwarfism in (Frasier) (Letter), 155; (Castells) (Reply), 156
Rheumatic heart disease with bacterial endocarditis complicated by myocardial infarction (Sulayman et al), 59
Rhinoviral infection associated with supraventricular tachycardia (Spencer et al) (Letter), 811
Rifampicin and isoniazid, hepatotoxicity of (Casteels-Van Daele et al) (BCLO), 739
Rubella vaccinees at adolescence, follow-up studies of (Rauh et al), 138

S

Salicylate intoxication, experimental, in young baboons (Buchanan and Eyberg), 225
Salicylism, maternal, neonatal purpura secondary to (Haslam) (Letter), 653
Scoliosis and coarctation of aorta (Poitras et al) (Letter), 476
with occult neuromuscular disease (Rothner et al) (BCLO), 748
Screening program, mass, for neonatal hypothyroidism (Dussault et al), 670
Sedimentation rate, erythrocyte, in newborn period (Adler and Denton), 942
Seizures, intermittent hyperphosphatemia, and polyuria—familial disorder (Miller et al) (BCLO), 233
Septicemia, pneumoccal, and meningitis (Rhodes et al), 593
Serum albumin, fluorescent dye method for determination of bilirubin-binding capacity of (Lee et al), 280
bilirubin-binding affinity of, increase in, with age of infant (Kapitulnik et al), 442
of Gunn rat, effect of Na benzoate on (Nathenson et al), 799
creatine phosphokinase levels in evaluation of association of malignant hyperpyrexia with Noonan syndrome (Hunter and Pinsky) (BCLO), 412
gamma glutamyl transpepidase and liver, aminopyrine as modifier of (Bartels et al), 298
hormones, relationship to pubertal gynecomastia (Lee), 212
human, measurements of arylsulfatases A and B in (Singh et al) (BCLO), 574
lack of erythropoietic inhibitory effect of, from patients with congenital pure red cell aplasia (Geller et al), 198
Services, pediatric, regional planning for (Shields) (Letter), 155
Shunt, ventriculoperitoneal, hydrocele following placement of (Scherzer) (Letter), 811
Sickle cell anemia and lead poisoning, neuropathy with (Athreya and Oski) (Letter), 315
hemoglobinopathies in association with priapism (Kinney et al) (BCLO), 241
Sinus histiocytosis (Pickering and Phelan) (BCLO), 745
Skeletal and heart muscle, mitochondrial myopathy of, associated with lactic acidosis (Sengers et al), 873
Skin fibroblasts, cultivated human, and amniotic fluid cells, cerebroside sulfatase activity in (Booth et al), 560
with cystic fibrosis, plasma membrane components of (Baig et al), 72
Speech, mother-to-child, at 2 years—effects of postnatal contact (Ringler et al), 141
Standard, reference (Cohen) (Editor's column), 167
Staphylococcal bacteriura, coagulase negative (Khan et al) (Letter), 309
outbreak, effects of triple dye in (Katzman) (Letter), 313
Starches, digestibility of, (De Vizia et al), 50
Statistical significance, significance of (Fife and Rappaport) (Letter), 156; (Bass) (Reply), 157; (Osicka) (Reply), 157
Stature, constitutional short, in adolescent boys, oxandrolone treatment of (Marti-Henneberg et al), 783
short, as clinical sign of Cushing's syndrome (Lee et al) (BCLO), 89
Stenosis, esophageal (Keating et al) (BCLO), 111
Stimulant drugs, growth rebound after termination of (Safer et al), 113
Streptococcus, group B beta-hemolytic, infection causing impetigo neonatorum congenita (Belgaumkar) (Letter), 982
Sulfatase activity, cerebroside, in cultivated human skin fibroblasts and amniotic fluid cells (Booth et al), 560
Syndrome, Aarskog facial-digital-genital (Berman et al), 885
Beckwith, nesidioblastosis in (Dammacco et al) (Letter), 647
cerebro-costo-mandibular: Cardiac anomaly (Kuhn et al) (BCLO), 243
-hepato-renal, of Zellweger (Danks et al), 382
Coffin-Lowry: Inherited facio-digital mental retardation syndrome (Temtamy et al), 724
Cushing's, short stature as clinical sign of (Lee et al) (BCLO), 89
Down, defective antibody response to bacteriophage ØX 174 in (Lopez et al), 207
pulmonary vascular bed with (Chi and Krovetz), 533
Fanconi, following bowel surgery and hepatitis reversed by 25-hydroxycholecalciferol (Chesney and Harrison), 857
febrile mucocutaneous lymph node, with coronary aneurysms (Kato et al), 892
Goldenhar, congenital heart disease in (Comas and González) (Letter), 989
hemolytic-uremic, treated with aspirin and dipyridamole (Arenson and August), 957
treatment of (Berberich) (Letter), 158; (Ekert) (Reply), 158
Larsen, with striking aortic root dilatation (Swensson et al) (BCLO), 914
Marfan, with features of histidinemia (Stevens et al) (BCLO), 907

Syndrome—Cont'd

Marshall: Eulogy or resurrection? (Zellweger) (Letter), 817
Noonan, evaluation of association with malignant hyperpyrexia (Hunter and Pinsky) (BCLO), 412
of multiple mucosal neuromas and medullary thyroid carcinoma (Brown et al), 77
oligohydraminios (Perlman) (Letter), 481
overindulgence, love and (Adler) (Letter), 313
pertussis, adenoviruses in (Nelson et al), 335
Poland's, associated with extrocardia (Hank and Fox) (Letter), 312
polysplenia, and extrahepatic biliary atresia (Dimmick et al) (Letter), 644
respiratory distress, complicated by patent ductus arteriosus in preterm infants (Thibeault et al), 120; (Neal et al), 127; (Lees), 132
mental and physical status of survivors of (Fisch et al), 497
systemic lupus erythematosus-like, with Clq deficiency (Wara et al) BCLO), 743
unusual facies—femoral hypoplasia (Daentl et al) (BCLO), 107
Williams elfin facies (Jones and Smith), 718
Winchester, and mucopolysaccharide metabolism (Stumpf) (Letter), 646; (Hollister and Rimoin) (Reply), 647
Wolff-Parkinson-White and Marfan, coincidence of (Rowland and Mace) (Letter), 482; (Chen and Fagan) (Reply), 482
Syphilis, incubating, ampicillin to abort? (Wientzen) (Letter), 816; (Litt) (Reply), 816

T

Tachycardia, idiopathic paroxysmal ventricular (Hernandez et al), 182
supraventricular, associated with rhinoviral infection (Spencer et al) (Letter), 811
Tall girls: Survey of 15 years of management and treatment (Wettenhall et al), 602
Test, glucagon infusion, and growth hormone secretion (AvRuskin et al) (BCLO), 102
LaBrosse VMA spot, revisited (Ong and Dupont) (BCLO), 238; comment (Evans) BCLO), 240
paired and unpaired t, significance of in evaluating CPAP (Belensky) (Letter), 481; (Ackerman) (Reply), 481
Testicular development, linear growth, bone age, and pubic hair, effect of oxandrolone on (Marti-Henneberg et al), 783
Thalassemia in Greek Americans (Pearson et al) (BCLO), 917
trait, alpha, differentiated from iron deficiency anemia by means of micromeasurement of free erythrocyte protoporphyrin (Koenig et al), 539
Theophylline, pharmacokinetic analysis of effect of, on pulmonary function in asthmatic children (Levy and Koysooko), 789
Thymic aplasia with graft-versus-host disease, (Chen et al) (BCLO), 904
Thyroid carcinoma, medullary, and syndrome of multiple mucosal neuromas (Brown et al), 77
function with congenital goiter (Homoki et al), 753
hyperplasia of, in fetus (Job) (Letter), 645; (Refetoff) (Reply), 645

Thyroid—Cont'd

replacement therapy, complication of premature craniosynostosis (Penfold and Simpson), 360
Thyroiditis, chronic lymphocytic, occurrence and natural history of (Rallison et al), 675
Tissue(s), brain, levels in mepivacaine poisoning (Dodson et al), 624
host, electrophoretic definition of parasite enzymes in (Zee and Zinkham) (BCLO), 408
roentgen patterns of extravasation of calcium gluconate in (Lee and Gwinn), 598
Tonsillar tissues, immunologic role of, in local cell-mediated immune responses (Hurtado et al) (BCLO), 405
Tracheal perforation in the neonate: Complication of endotracheal intubation (Serlin and Daily), 596
Transfer factor and combined immunodeficiency (Rola-Pleszczynski et al) (Letter), 818; (Strauss and Hake) (Reply), 819
Transferrin saturation and iron intake in adolescents (Daniel et al), 288
Transfusion, replacement, in the newborn infant: Commentary (Oberman), 586
Translocation, B-C chromosomal, bilateral neonatal Wilms' tumor with (Giangiacomo et al) (BCLO), 98
Transpepidase, serum gamma glutamyl, and liver, aminopyrine as modifier of (Bartels et al), 298
Transplantation, bone marrow, medical ethics of (Levine et al), 145
renal, hypertension after (Malekzadeh et al), 370
Trichopoliodystrophy, copper infusion therapy in (Grover and Scrutton), 216
Trichuriasis, treatment of, with mebendazole (Maqbool et al), 463
Triglyceride, medium-chain, formula for correction of malabsorption in the preterm infant (Roy et al), 446
Trisomy, G-like, with major 15 proximal supernumerary component derived from D/E balanced maternal interchange (Bannister and Engel) (BCLO), 916
Tuberculous archnoiditis (John and Douglas) (BCLO), 235
Tumor(s), bilateral neonatal Wilms,' with B-C chromosomal translocation (Giangiacomo et al) (BCLO), 98
intracranial human chorionic gonadotropin-secreting, with precocious puberty (Romshe and Sotos) (BCLO), 250
malignant, incidence of, in U.S. children (Young and Miller) (BCLO), 254
Twinning and cleft lip with or without cleft palate (Armendares and Lisker) (Letter), 479
Twins, neonatal, discordant by weight, fontanel size and epiphyseal ossification in (Philip) (BCLO), 417

U

Ulceration, severe neck, from CPAP head box (Krauss and Marshall), 286
Ulcerative and Crohn's colitis: Inflammatory disease of colon (Ament), 322
Umbilical-arterial catheterization in high-risk infants (Emans) (Letter), 641; (Nelson) (Letter), 641; (Chambers) (Letter), 642; (Modanlou) (Reply), 642; (Hon) (Reply), 643; Behrman (Editorial reply), 643

Umbilical—Cont'd

artery, infection of, stimulating patent urachus (Kenigsberg) (Letter), 151
vein catheterization, risk of infection associated with (Anagnostakis et al), 759
Urachus, patent, infection of umbilical artery stimulated by (Kenigsberg) (Letter), 151
Uremic-hemolytic syndrome treated with aspirin and dipyridamole (Arenson and August), 957
treatment of (Berberich) (Letter), 158; (Ekert) (Reply), 158
Urinary norepinephrine excretion and iron deficiency anemia (Voorhess et al), 542
tract infection, first, in female infant (Randolph et al), 342
in infancy (Kunin) (Editor's column), 483
Urine, excretion of free catecholamine in, in normal infants and in marasmus or kwashiorkor (Graham and Placko), 965
Uterine, intra-, growth of LBW infants, relationship to later growth (Beck and van de den Berg), 504
retardation, calcium metabolism in (Tsang et al), 936

V

Vaccinees, rubella, at adolescence, follow-up studies of (Rauh et al), 138
Vascular bed, pulmonary, in children with Down syndrome (Chi and Krovetz), 533
VATER association, misuse of acronyms and (Say) (Letter), 315
Vein catheterization, umbilical, risk of infection associated with (Anagnostakis et al), 759
renal, renin, source of questioned (Symons) (Letter), 648; (Levine) (Reply), 649
Ventricular tachycardia, idiopathic paroxysmal (Hernandez et al), 182
Ventriculoperitoneal shunt, hydrocele following placement of (Scherzer) (Letter), 811
Vertebral, inter-, discs, calcification of (Swick), 364
Vesicoureteral reflux and renal scarring (Girdany and Price) (Editor's column), 998
nonobstructive, noninfectious, in renal scarring, familial occurrence of (Lewy and Belman), 851
Viral, anti-, drugs for the neonate (Brunell) (Editor's column) 317
infection, Coxsackie A9, associated with hemiplegia (Roden et al), 56
B, and benign neonatal arrhythmias (Nathenson et al) (Letter), 152
mumps—an etiologic factor in juvenile diabetes mellitus? (Sultz et al) (Editor's column), 654
Visceral larva migrans: acute infantile hemiplegia with cerebrospinal fluid eosinophilic pleocytosis (Anderson et al) (BCLO), 247
Visual function, long-term effect of phototherapy on (Dobson et al), 555
Vitamin D metabolism, perinatal (Hillman and Haddad), 928
Vocal cord paralysis in cystic fibrosis (Scanlin et al) (Letter), 984

W

Weight, fontanel size and epiphyseal ossification in neonatal twins discordant by (Philip) (BCLO), 417
White-Wolff-Parkinson and Marfan syndromes, conincidence of (Rowland and Mace) (Letter), 482; (Chen and Fagan) (Reply), 482
Williams elfin facies syndrome (Jones and Smith), 718
Wilms' tumor, bilateral neonatal, with B-C chromosomal translocation (Giangiacomo et al) (BCLO), 98
Wilson disease, acute hemolytic anemia as manifestation of (Buchanan) (BCLO), 245
Winchester syndrome and mucopolysaccharide metabolism (Stumpf) (Letter), 646; (Hollister and Rimoin) (Reply), 647
Wolff-Parkinson-White and Marfan syndromes, coincidence of (Rowland and Mace) (Letter), 482; (Chen and Fagan) (Reply), 482
Words and their misuse: An epidemic disorder continued (McVicar) (Letter), 651; (Zarkosky) (Letter), 651; (Stewart) (Letter), 651; (Katz) (Letter), 652; (Reply) (Nelson), 652

Z

Zellweger, cerebro-hepato-renal syndrome of (Danks et al), 382